

AT&T TECHNICAL JOURNAL

**1993 INDEX*
AND CONTENTS**

VOLUME 72

EDITORIAL BOARD

J. F. DAY, *Chairman*
AT&T Bell Laboratories

L. BERNSTEIN • AT&T Network Systems
W. S. BROWN • AT&T Bell Laboratories
M. I. COHEN • AT&T Bell Laboratories
D. J. DOOLING • AT&T Consumer Products
R. M. LAUVER • AT&T Bell Laboratories
E. M. PRELL • AT&T Network Systems

D. B. PRESTON • AT&T Corporate Headquarters
L. R. RABINER • AT&T Bell Laboratories
S. M. SUSSKIND • AT&T Bell Laboratories
R. A. TARBOX • AT&T Bell Laboratories
J. W. WESNER • AT&T Global Business Communications Systems
T. MAC TAVISH • AT&T Global Information Systems

EDITORIAL STAFF

D. L. RAYMOND, *Editorial Director*
D. T. VAN ATTA, *Editor*
J. E. DONOVAN, *Associate Editor*
L. S. GOLLER, *Associate Editor*
G. T. MOFFATT, *Associate Editor*
I. J. JONES, *Art and Production Manager*
A. CORDELL, *Designer*
NEW JERSEY ART SERVICES—MURRAY HILL, *Technical Illustrators*
S. KEMPNER, *Circulation Manager*
A. H. JACOBSEN, *Distribution*

* The 1994 Index is included at the back of Volume 73, Number 6, of the *AT&T Technical Journal*.

VOLUME 72

	Page
Index	3
Contents	25

No. 1, January/February	Video Communications
No. 2, March/April	Designing Products for Globalization
No. 3, May/June	User Interface Design and Development
No. 4, July/August	Wireless Technology
No. 5, September/October	General Papers
No. 6, November/December	Broadband ISDN

AT&T TECHNICAL JOURNAL (ISSN 8756-2324)

is published six times a year by AT&T. Individual subscriptions:
U.S.—1 year \$50; 2 years \$90; 3 years \$120
Foreign—1 year \$64; 2 years \$118; 3 years \$162.

Payment for subscriptions must be made by check in U.S. funds, drawn on a U.S. bank, and made payable to the *AT&T Technical Journal*. Send subscriptions, address changes, and related correspondence to Circulation Group, Room 3C-417, AT&T Bell Laboratories, 600 Mountain Avenue, P.O. Box 636, Murray Hill, NJ 07974-0636.

Current or recent issues may be obtained by writing to the Circulation Group or calling 908 582-4019 or 4823. You may obtain back issues from the AT&T Customer Information Center, P.O. Box 19901, Indianapolis, IN 46219, or by calling 1 800 432-6600. From outside the U.S., call 317 352-8557. Photocopy or microform reprints from the *AT&T Technical Journal* are available by writing to University Microfilms International, 300 N. Zeeb Road, Ann Arbor, MI 48106, or calling 1 800 521-0600. From outside the U.S., call 313 761-4700.

Copyright © 1994 AT&T, 32 Avenue of the Americas, New York, NY 10022; R. E. Allen, Chairman of the Board; R. E. Scannell, Secretary.

Printed in U.S.A.

SESS, Accumaster, Accunet, Advanced Intelligent Network, Autoplex, Definity, Inter-Span, AT&T Language Line, Merlin, Open Look, Overview, Partner, Scanware, SLC, and Systimax are registered trademarks of AT&T. *4ESS, BaseWorX, GlobeView, Hits-At-Home, Hobbit, Take-One, VCOs, and AT&T VideoPhone 2500* are trademarks of AT&T. *NCR, NICE, and WaveLAN* are registered trademarks of AT&T/NCR.

ANSYS is a registered trademark of Swanson Engineering Company. *IBM* is a registered trademark of International Business Machines, Inc. *MiniNote* is a trademark and *Penpoint* is a registered trademark of GO Corporation. *Microsoft* is a registered trademark and *Windows* is a trademark of Microsoft Corporation. *Motif* is a registered trademark of Open Software Foundation, Inc. *Multiband* is a registered trademark of Ascend Communications, Inc. *PostScript* is a registered trademark of Adobe Systems Incorporated. *Simultask* is a trademark of Taskmaster, Inc. *UNIX* is a registered trademark of X/OPEN Corporation.

Index to Volume 72

A

- ac (alternating current) power standards, 2, 8-9
- Accumaster Services Workstation, 3, 57-58
- Accunet digital services, AT&T, 1, 53
- Ackland, Bryan D., 1, 50-66
- A/D conversion *See* Analog-to-digital conversion
- Adaptive differential pulse code modulation (ADPCM)
 - adaptive interpolation, 4, 67-69, 71
 - adaptive sub-band coder, 4, 69-71
 - compressed speech degradation, 4, 65
 - mean opinion score (MOS) study, 4, 65, 70-72
 - sub-band, 1, 44
 - transmission code simulator, 4, 67
- ADPCM *See* Adaptive differential pulse code modulation
- ADSL *See* Asymmetric digital subscriber lines
- Advanced digital radio technologies, 4, 19-26
- Advanced Mobile Phone Service (AMPS), 4, 12-13, 20, 40-41, 52
 - control of radio transmission link, 4, 12-13
 - handoff, 4, 12-13
 - monitoring mobile units, 4, 12-13
 - signaling, 4, 12-13
 - switching between centers, 4, 12-13
 - TDMA digital technology, 4, 20
- Advanced synchronous high-performance system, 5, 40
- Advanced Techniques for Modulation, Error Correction, Channel Equalization, and Diversity*, 4, 48-63
- Advantage multimedia training system, 3, 44-45
- AGC *See* AudioGraphic conference
- Agazzi, Oscar E., 5, 60-72
- Aghevli, Reza, 1, 50-66
- Air channel emulator (ACE), 4, 29-30
- Air-travel information system (ATIS) task, 5, 25-27
- Aldermeshian, Hrair, 1, 2-6
- Algorithms, language-supported, 2, 22
- Allen, James R., 1, 7-14
- Allen, Robert E., 3, 42
- Alternating current *See* ac
- AM *See* Amplitude modulated
- American National Standards Institute (ANSI), 2, 27, 46, 49, 51-52, 4, 39
 - ANSI C63.4-1991, 2, 27
 - reliable transmission of data at 100 Mb/s, 2, 46-49
- Amplitude modulated (AM) quality audio, 3, 47
- AMPS *See* Advanced Mobile Phone Service
- An, Chungming, 1, 15-21
- Analog cellular networks, 4, 13, 19-26
- Analog line interfaces, 2, 66
- Analog signals, 1, 2-4
- Analog telephones, 2, 19-20
- Analog-to-digital (A/D) conversion, 1, 27
- Anderson, J. Scott, 3, 57-66
- Anderson, Jon, 6, 29-38
- Angiolillo, Joel S., 3, 7-20
- ANSI *See* American National Standards Institute
- API *See* Application-programming interfaces
- Application-programming interfaces (API), standard, 6, 62
- Application-specific integrated circuit (ASIC), 1, 27
- Aravind, Rangarajan, 1, 67-89
- ARC *See* Audiographic remote controller
- ASAI *See* Adjunct switch application interface
- Ascend Multiband ISDN Terminal Adapter (TA), 1, 16-18
- ASR *See* Automatic speech recognition
- Asymmetric digital subscriber lines (ADSL), 1, 8-9
- Asymmetric video services, 1, 7
- Asynchronous transfer mode (ATM)
 - business applications, 6, 26
 - cell-expansion module, 6, 43, 49
 - cell size, 6, 10-12
 - cell-transport concept, 6, 5
 - cell-transport principle, 6, 5
 - communications, 6, 15-16
 - concentration module, 6, 43-44
 - control structure, 6, 45-46
 - cross-connect system, 6, 47
 - customer network management (CNM), control structure, 6, 46
 - designs, 4, 6
 - SESS switch platform, 5, 7
 - fixed versus variable size, 6, 10
 - Forum, 6, 6, 11-12
 - global standards, 6, 11-14
 - graphical user interface (GUI), control structure, 6, 46
 - integration and consolidation stage, 6, 19
 - layer, 6, 13, 31
 - layer OA&M, 6, 33-34
 - line cards, 6, 41-42
 - long-term target stage, 6, 19-20
 - network, 6, 39-47
 - networking standards, 6, 48-52
 - overlay network, 6, 17
 - overlay stage, 6, 17-18
 - protocol reference model, 6, 40-41
 - protocols, 2, 41, 6, 4-5
 - shared-memory module, 6, 43-44
 - strategy, 6, 6-7
 - switching fabric, 5, 7, 6, 42-45
 - switch fabric architecture, 6, 43
 - technology, 6, 5, 19-20, 23-28, 57-66, 76-81
 - UNIX-based processors, control structure, 6, 46
 - virtual channel, 6, 5
 - virtual path, 6, 5
- Asynchronous transfer mode (ATM) adaptation layer (AAL), 6, 13, 31
 - constant-bit-rate (CBR) information streams, 6, 13
 - Motion Picture Experts Group 2 (MPEG 2), 6, 13
 - protocols, 6, 31-33
 - service-specific connection-oriented protocol (SSCOP), 6, 13
 - variable-bit-rate (VBR) information streams, 6, 13
- AT&T Bell Laboratories, 2, 2-4, 4, 9-10
 - customer expectations, 2, 2-4
 - design process, 2, 2-4
 - development process, 2, 2-4
 - global product platforms, 2, 2-4
- AT&T Broadband Switching System-2000, 6, 47
- AT&T Communications Systems Group (CSG), 6, 76-81
- AT&T Consumer Laboratory, 1, 10
- AT&T Consumer Products, 1, 22-24, 2, 22-24
- AT&T Consumer Products Human Factors Lab, 1, 29-30
- AT&T Consumer Services, 2, 75
 - Forward Looking Work program, 2, 75
 - Language Line document translation service, 2, 75
- AT&T/EO Personal Communicator 440, 3, 44
- AT&T GCNS-2000 asynchronous transfer mode (ATM) switch, 6, 21, 40, 47
- AT&T Global Business Communications Systems, 1, 16, 2, 6-16
- AT&T Global Products Compliance Lab, 2, 4
- AT&T Group Video System, 3, 8
 - partnering with PictureTel Corporation, 3, 7-8
- AT&T Hobbit microprocessor, 5, 50
- AT&T Information Delivery System (IDS), 3, 69-70
- AT&T Information Delivery System (IDS) for Microsoft Windows, 3, 69-70
- AT&T Integrated Computer/Communication Systems Research, 3, 49
- AT&T Legend customer premises products, 1, 38-40
- AT&T MAC-II, 5, 39
- AT&T Merlin key system, 2, 8-9
- AT&T Microelectronics (Allentown, Pa.), 1, 27, 35, 3, 44, 6, 2
- AT&T Microelectronics AVP-4000 video-codec chip set, 1, 35-37
- AT&T Mobile Switching Center (MSC), 4, 38-47

AT&T National Service Assistance Center (Englewood, Colorado), 2, 8
 AT&T/NCR Human Interface Technology Center (Atlanta, Georgia), 3, 55
 AT&T/NCR Personal Video System Model 70, 3, 18
 AT&T Network Systems, 1, 7-14, 16-21,
 AT&T Network Systems broadband trials, 6, 67-75
 AT&T Network Systems Division/Network Operations Education and
 Training (NSD/NOET) Power Technology Institute, 3, 45, 49
 AT&T Network Systems Group (NSG), 6, 76-81
 AT&T Network Systems International, 2, 9-10
 AT&T Network Systems Service Net-2000 architecture, 6, 20
 AT&T Online Documentation Standards, 3, 73-74
 AT&T Operations Systems Data Business Unit, 6, 40
 AT&T Partner key system, 2, 6-16
 AT&T partnerships, 3, 8, 31
 PictureTel Corporation, 3, 7-8
 US West, 3, 31-32
 AT&T PBX, 2, 18, 62-73
 AT&T products and services,
 AT&T video codec, 1, 35-37
 AVP-4000 chip set, 1, 35-37
 basic video-telephony service, 1, 4-5
 BNS-2000 cell switch, 6, 21
 distance learning, 1, 4
 DSP-16 digital signal processor, 5, 57-58
 SESS switch, 5, 4-13
 SESS-2000 switch, 6, 21
 SESS-2000 switching module, 5, 4-13
 GCNS-2000 ATM switch, 6, 21, 40, 47
 global networks, 4, 4-10
 Hobbitt microprocessor, 5, 50
 ISDN 7507 display terminal, 6, 68
 ISDN video-telephony service, 1, 5
 MAC-II, 5, 39
 multimedia conferencing, 1, 5
 software-defined network (SDN), 6, 61
 telecommunications services, 4, 4-10
 video messaging, 1, 5
 video on demand, 1, 5-6
 AT&T RightPages, 1, 6
 AT&T Scanware software, 1, 15-21
 AT&T Service Net-2000, 5, 5-6
 AT&T 6386 personal computer, 1, 16
 AT&T SLC carrier systems, 1, 5
 AT&T Switching Control Center System, 4, 4
 AT&T Systimax 1061/2061, 2, 18
 AT&T T7513 μ m codec, 1, 27
 AT&T T7525 linear codec, 1, 27
 AT&T transfer-molding process, 5, 73-74
 AT&T VCOS computer software, 1, 55
 AT&T VideoPhone 2500, 3, 7-20, 44
 AT&T Visual Communication Vision, 1, 2-4
 AT&T's Worldwide Intelligent Network, 3, 57
 ATIS *See* Air-travel information system
 ATM *See* Asynchronous transfer mode
 ATMS *See* Automatic teller machines
 ATT92010 microprocessor, 6, 2
 ATT92020S processor, 6, 2
 AUC *See* Authentication center
 Audio processor, 1, 4-6, 23-24
 code-excited linear prediction (CELP) algorithm, 1, 23-24
 Audio visual protocol stack (AVPS), 1, 47
 AudioGraphic conference (AGC), 1, 47
 CCITT T.121 standard, 1, 47
 Audiographic remote controller (ARC), 1, 17
 AUSTEL *See* Australian Telecommunications Authority
 Australian Telecommunications Authority (AUSTEL), 2, 51-52
 Automated operator applications, 3, 30-31
 Ameritech services, 3, 31
 AT&T, 3, 31
 MetroCel Cellular, 3, 31
 New Jersey Bell, 3, 31
 voice-dialing systems, 3, 31
 Automatic speech recognition (ASR) platform, 3, 30-31

Automatic speech recognition (ASR) technology
 acoustic properties, 3, 30
 advances, 3, 33-35
 algorithms, 3, 33-34
 application environments, 3, 34-35
 automated operator applications, 3, 30
 comparison of user's utterance with models of words, 3, 29
 customer reactions, 3, 33
 design issues, 3, 37-40
 end-user interaction, 3, 28-41
 human/machine interactions, 3, 28-41
 influence on speech patterns, 3, 35
 interactive telecommunications services, 3, 28-41
 non-keyword rejection, 3, 29, 32
 service capabilities, 3, 33
 speaker-dependent system, 3, 29-30
 speaker-independent system, 3, 29
 speech samples, 3, 30
 telephone network applications, 3, 31-33
 training, 3, 29-30
 user interface (UI) design, 3, 28-41
 vocabulary set, 3, 30
 word recognition, 3, 29
 Automatic teller machines (ATMs), 3, 50-56
 human/machine interactions, 3, 50
 user tasks, 3, 50
 Automation, 4, 4-10
 Autoplex, 4, 13
 Autoplex System 1000, 6, 2
 AVP-4000 chip set
 CIF, 1, 37, 79-80
 QCIF, 1, 37, 79-80
 AVP-4120C system controller, 1, 52, 63-65
 AVP-4220D video decoder chip, 1, 52, 58-61
 AVP-4310E video encoder chip, 1, 52, 61-63
 AVPS *See* Audio visual protocol stack

B

B-NT1 *See* Broadband network termination equipment
 B-NT2 *See* Broadband network termination equipment
 B-NTA *See* Broadband terminal adapter
 B-NTE *See* Broadband terminal equipment
 Baby Bells *See* Regional Bell Operating Companies
 Backplane interconnection requirements, optical, 5, 39-41
 Balanced logic asynchronous/synchronous transceiver (BLAST) chip, 6,
 50-51
 Baldasare, John, 3, 67-74
 Bandwidth management, 1, 44, 5, 4-13
 Bandwidth spreading, 4, 29
 Bar-code scanning technology, 3, 55
 Barcelo, Brian T., 1, 15-21
 NCR 7870 scanner, 3, 55
 Barker sequence, 4, 32
 BASE *See* Broadband ATM/STM electrical
 Baseline speech-recognition system
 feature analysis, 5, 27-28
 sentence-level language matching, 5, 30-31
 subword unit models, 5, 29-30
 word-level acoustic matching, 5, 28-30
 BaseWorX software, 6, 46
 BaseWorX applications platform, 6, 77
 Basic rate interface (BRI), 1, 5, 33-40
 Basic rate interface (BRI) facility, 6, 18
 Bayesian learning, 5, 33
 bcp *See* Best current practices
 Benimoff, Nicholas I., 3, 42-49
 Berg, Mark R., 2, 62-73
 Benes network, dilated, 6, 54
 Bergland, G. David, 6, 48-56
 Bernstein, Lawrence, 4, 4-10

- Best current practices (BCPs), 5, 15–16
 - Bielawski, William J., 5, 4–13
 - BISDN *See* Broadband Integrated Services Digital Network
 - Bit-stream syntax
 - block layer, 1, 87
 - group of pictures (GOP) layer, 1, 87
 - macroblock layer, 1, 87
 - picture layer, 1, 87
 - video sequence layer, 1, 85–87
 - Blackboards, shared, 3, 7, 18, 24–25
 - Blanchard, Harry E., 3, 7–20
 - BLAST *See* Balanced logic asynchronous/synchronous transceiver
 - Blewett, C. Douglas, 3, 57–66
 - Bosco, Harry L., 6, 4–8, 76–82
 - Bose-Chaudhuri codes, 4, 7
 - BRI *See* Basic rate interface
 - Bridge, multipoint distance learning trial, 1, 18–19
 - Bridging, audio, 1, 42
 - Bridging, data, 1, 42–43
 - Bridging, video, 1, 42
 - Broad Path for Network Migration: BISDN Products and Services from AT&T*, 6, 76–82
 - Broadband application and service evolution, 6, 25–28
 - Broadband asynchronous transfer mode (ATM) services
 - 700 switched services, 6, 26
 - 800 switched services, 6, 26
 - 900 switched services, 6, 26
 - business climate changes, 6, 23–24
 - call forwarding, 6, 26
 - call screening, 6, 26
 - Broadband ATM/STM electrical (BASE) bus, 6, 49, 54–55
 - Broadband communications, technology platform, 6, 48–56
 - Broadband Integrated Services Digital Network (BISDN)
 - applications, 5, 37–39, 6, 15–21
 - ATM adaptation layer, 6, 31–33
 - ATM Forum, 6, 6
 - ATM layer, 6, 31
 - ATM transport, 6, 12–13
 - BISDN-based ATM, 6, 6
 - BISDN/ATM technology, 6, 5
 - call configuration, 6, 4–5
 - circuit-mode services, 6, 5
 - communications networks, 6, 16
 - constant-bit-rate services, 6, 5
 - customer needs, 6, 6
 - design, 6, 29–38
 - European Telecommunications Standards Institute (ETSI) Network Aspects (NAS), 6, 11
 - high-resolution digital video, 6, 5
 - market applications, 6, 15–16
 - network capability evolution, 6, 36–37
 - network management and O&M, 6, 33–34
 - network performance, 6, 35–36
 - network reference model, 6, 29–30
 - networks, implementation, 6, 29–38
 - packet-mode services, 6, 5
 - permanent connections, 6, 5
 - physical layer, 6, 12–13, 31
 - point-to-multipoint connections, 6, 5
 - point-to-point connections, 6, 5
 - principles and standards, 6, 9–14
 - protocol reference model, 6, 29–31, 40
 - quality of service, 6, 35–36
 - SDH transport, 6, 12–13
 - service configuration, 6, 5
 - SONET, 6, 12–13
 - standardization process, 6, 10–12
 - standardization progress, 6, 12–14
 - switched connections, 6, 5
 - TISI committee, 6, 10
 - TISI.5 draft standard, 6, 10–11
 - traffic management and congestion control, 6, 34–35
 - traffic management reference configuration, 6, 34–35
 - unshielded twisted pair (UTP) transmission, 6, 13
 - U.S. State Department Study Group B, 6, 11
 - variable-bit-rate services, 6, 5
 - Broadband ISDN: An Overview*, 6, 4–8
 - Broadband introduction stage, 6, 16–17
 - Broadband ISDN/ATM, 6, 70–75
 - applications, 6, 70–71
 - ATM switch, 6, 72
 - capabilities, 6, 70–71
 - general terminal adapter, 6, 72
 - high-definition distance learning applications, 6, 71–72
 - interfaces, 6, 70–71
 - narrowband service module, 6, 72–73
 - processor node, 6, 73
 - real-time manufacturing process control, 6, 72
 - support processor, 6, 73
 - system architecture, 6, 72
 - video/audio bridge, 6, 73–74
 - Broadband market applications, 6, 15–16
 - Broadband network adapter B-NTA, 6, 29–30
 - Broadband network equipment (B-NTE1, B-TE2), 6, 29–30
 - Broadband network termination equipment, 6, 29–30
 - Broadband products and services, 6, 76–81
 - Broadband switching, 6, 39–47
 - Broadband switching system principles, 6, 40–41
 - Broadband technologies, 6, 15–21
 - Brown, Sandra J., 2, 6–16
 - Buffering, shared and dedicated, 6, 46–47
 - Burns, Michael J., 3, 42–49
 - Bursh, Talmage P., Jr., 4, 19–26
 - Bus architecture, 6, 49
 - balanced logic asynchronous/synchronous transceiver (BLAST), 6, 49
 - CMOS technology, 6, 49
 - Business-market evolution, broadband ATM services, 6, 25–26
- ## C
- C++ class interface wrappers, 5, 17
 - CA *See* Conformity assessment
 - Cabinet-enclosed circuitry, radiated effects 2, 36–37
 - Cable News Network (CNN), 1, 34
 - Cable television (CATV) industries, 1, 7–14
 - enhanced pay-per-view service, 1, 7
 - pay-per-view service, 1, 7
 - premium service, 1, 7
 - video on demand, 1, 7–8
 - Cable television (CATV) systems, 6, 18, 27
 - Cabling standard for customer premises, generic, 2, 42–46
 - Cabling standards, 2, 42–46
 - CAD *See* Computer-aided design
 - CADCS *See* Call Attempt Data Collection System
 - California Polytechnic State University, 1, 16
 - California State Education Department, 1, 16
 - California State University in Chico (CSUC), 1, 15–21
 - Call Attempt Data Collection System (CADCS), 5, 14–24
 - Call control, 6, 13–14
 - Q.931 accessing protocol, 6, 13
 - Signaling System 7 (SS7), 6, 13–14
 - Call coverage preferences, 2, 21
 - all calls feature, 2, 21
 - auto-intercom feature, 2, 21
 - send-all-calls (SAC) button, 2, 21
 - temporary bridged appearance, 2, 21
 - Call transfer etiquette, 2, 21–22
 - pull transfer feature, 2, 22
 - serial call feature, 2, 22
 - CAMIL2 (Core-access modem interface logic, version 2), 1, 27
 - Canadian Department of Communications, 2, 8
 - Canadian Standards Association, 2, 8
 - Canniff, Ronald J., 5, 4–13
 - Carrier sense multiple access/collision avoidance (CSMA/CA), 4, 27–28, 31

- Carrier sense multiple access/collision detection (CSMA/CD), 4, 27–28
- CASE tool, 5, 21
- Cash, Glenn L., 1, 67–89
- CAT *See* Customer-activated terminal
- CATV *See* Cable television
- CB *See* Competent bodies
- CBR *See* Constant-bit-rate
- CCIR *See* International Radio Consultative Committee
- CCITT (International Telegraph and Telephone Consultative Committee), 1, 3–4, 35–37, 2, 3–4, 35–37, 50–61, 3, 8, 4, 15, 64–73, 5, 5
 - American National Standards Institute (ANSI), 2, 27, 46, 49, 51–52
 - Australian Telecommunications Authority (AUSTEL), 2, 51–52
 - Blue books, 2, 51–52
 - CCITT recommendation I.361, 6, 13
 - Group 3 standard for facsimile transmission, 1, 35–36
 - G.711 standard, 1, 37–39, 43–49, 53–55
 - G.721 ADPCM standard, 4, 64–73
 - G.722 standard, 1, 37–39, 43–49, 55
 - G.728 standard, 1, 37–40, 43–49, 55
 - H.221 standard, 1, 37–40, 43–49
 - H.230 standard, 1, 37, 43–49
 - H.233 standard, 1, 48
 - H.242 standard, 1, 37, 43–49
 - H.261 quarter common intermediate format standard, 3, 12–13
 - H.261 standard for video compression, 1, 36–38, 43–49
 - H.261 standard for videoconferencing, 5, 5
 - H.320 digital compression standard, 3, 12–13
 - H.320 standard, 1, 37, 43–49
 - I.430 standard, 1, 37–38
 - I.451 standard, 1, 39
 - modulated noise reference unit (MNRU), 4, 70–72
 - Px64 set for video telephony, 1, 4, 36, 43–49, 51–62, 67, 3, 8
 - Q.931 accessing protocol, 6, 13
 - Q.931 standard, 1, 38, 42–43
 - Red books, 2, 51–52
 - standards, 1, 3–4, 35–37, 2, 3–4, 35–37, 51–52, 3, 8, 12–13, 6, 13
 - Study Group VIII, 1, 47
 - Study Group XVIII, 6, 10
 - Study Group XV, 1, 47, 67
 - T.121 AGC, 1, 47
 - T.122 MCS, 1, 47
 - T.123 AVPS, 1, 47
 - T.124 GCC, 1, 47
 - T.125 MCSP, 1, 47
 - Telecommunications Technology Committee (TTC) in Japan, 2, 51–52
 - 32 kbit ADPCM standard, 4, 15
 - 32 kbit ADPCM standard, 4, 15
 - video coding standards, 3, 8
 - White books, 2, 51–52
 - X.21, 2, 30
 - X.25, 2, 30
 - X.25 packet switching, 6, 16
 - X.25 packet switching protocol, 1, 4–5, 25, 5, 17
- CD *See* Context dependent
- CD-ROM storage, 3, 67
- CDMA *See* Code-division multiple access
- CDPD *See* Cellular digital packet data
- CE Mark, 2, 27–29
 - products, applications, 2, 29
 - products, exceptions, 2, 29
- Cell site complex, 4, 38–39
 - controller, 4, 39
 - radio, 4, 39
 - wireless operation, 4, 38–39
- Cell transport performance, 6, 46–47
- Cellular based-services
 - Advanced Mobile Phone Service (AMPS), 4, 12–13, 40–41
 - cellular concept, 4, 12
 - co-channel interference, 4, 12–13
 - mobile radio systems, 4, 12
 - mobile units, 4, 12
 - regulatory issues, 4, 12
 - spectrum, 4, 12
 - technical issues, 4, 12
- Cellular communications, 4, 11–18
- Cellular digital packet data (CDPD) products, 6, 2
 - Autoplex System 1000, 6, 2
 - wireless packet data services, 6, 2
- Cellular systems, first generation
 - analog FM radio technology, 4, 13
 - digital radio technology, 4, 13
 - radio access technology, 4, 13
- Cellular systems, second generation
 - code-division multiple access (CDMA), 4, 13, 15
 - Integrated Services Digital Network (ISDN), 4, 13
 - intelligent networks, 4, 13
 - time-division multiple access (TDMA), 4, 13, 15
- CELP *See* Code-excited linear prediction
- CELP (Code-excited linear prediction) algorithm, 1, 23–24, 44
- CELP speech coder, 4, 23–24
- CELP+ (Code-excited linear prediction plus) coder, 1, 23–24
- CENELEC *See* European Organization for Electrotechnical Standardization
- Central office trunks
 - battery polarity signaling, 2, 67
 - call-charge metering pulses, 2, 67–68
 - country-specific pulses, 2, 68
 - glare, 2, 67
 - lack of disconnect supervision, 2, 67
 - loop-start trunks, 2, 67
 - periodic pulse metering (PPM), 2, 67–68
- Central processing unit (CPU), 1, 23
- Ceramics, 4, 2–3
- Chang, James J. C., 4, 11–18
- Channel coding, 4, 48, 54–56
 - convolutional codes, 4, 54
 - de-interleaved, 4, 55
 - error-control techniques, 4, 55
 - free distance, 4, 55
 - Hamming distance, minimum 4, 55
 - interleaving, 4, 54
 - IS-54 channel error-control scheme, 4, 55–56
 - parameters of two cellular standards, 4, 54–56
 - robust speech coding, 4, 56
 - soft-decision information, 4, 54
 - techniques, 4, 54
 - Viterbi algorithm, 4, 54
- Channel echo and multipath 4, 29–30
 - air channel emulator (ACE), 4, 29–30
 - limitations of indoor radio communications, 4, 29
- Channel equalization, 4, 48, 53–54
- Channel model, 4, 48–49
 - co-channel interference, 4, 49
 - deep fade, 4, 49
 - frequency-selective fading, 4, 49
 - multipath fading, 4, 49, 50
 - time-selective fading, 4, 49
- Character image, 5, 64
 - horizontal variations, 5, 64–65
 - vertical variations, 5, 64–65
- Character recognition, 5, 65–66
 - segmental k-means algorithm, 5, 66
 - Viterbi algorithm, 5, 65
- Character transformation invariance, 5, 66
- Chemical vapor deposition (CVD) diamond films, 3, 3
- Cho, Alfred Y., 5, 3
- CI-PLUS *See* Context-independent phone-like units
- CIF *See* Common intermediate format
- Circuit packs, 2, 64
 - card cage, 2, 38
 - cost, 2, 64
 - design, 2, 64
 - emission, 2, 37–38
- CISPR *See* International Electrotechnical Commission Special International Committee on Radio Interference
- City names database, 5, 67, 71
- Class interface for interprocess communication, 5, 18–19

- data sharing between processes, 5, 18–19
- process-to process interface, 5, 18–19
- Class of restriction (COR) codes, 2, 23
- Class responsibility collaborator cards (CRC), 5, 21
- CLI *See* Compression Labs Inc.
- Clock distribution model, 2, 33–34
- Clock recovery, 1, 90
- CM *See* Communication module
- CM2 *See* Communications Module Model 2
- CMOS *See* Complementary metal-oxide semiconductor
- CNN *See* Cable News Network
- Code-division multiple access (CDMA), 4, 13, 15, 19–26, 52
 - interim standard (IS-95) CDMA standard, 4, 19
 - spread-spectrum radio technology, 4, 19
- Code-division multiple access (CDMA) cellular system, 4, 13, 19, 22–25
 - air interface, 4, 23–24
 - call hand-off, 4, 23
 - direct-sequence spread-spectrum (DS-SS) transmitter, 4, 22
 - frequency planning, eliminating, 4, 23
 - increased system capacity, 4, 23
 - multipath, 4, 22
 - multiple-access environment, 4, 22
 - power control, 4, 22–23
 - spread-spectrum technology, 4, 22
 - system performance, 4, 24–25
- Code-excited linear prediction *See* CELP
- Code-excited linear prediction (CELP)
 - algorithm, 1, 24
 - speech coder, 4, 23–24
- Codec, 1, 50
 - architecture, 1, 53–56[
 - requirements, 1, 52–53
 - systems controller, 1, 50
 - video decoder, 1, 50
 - video encoder, 1, 50
- Coded modulation, 4, 59–60
 - design, 4, 59–60
 - 8-PSK constellation, 4, 59–60
 - simulated bit error rate, 4, 60
- Coders, 4, 66–67
 - algorithmic delay, 4, 66–67
 - buffering delay, 4, 66
 - central processing unit (CPU) cycles, 4, 67
 - computational complexity, 4, 67
 - memory usage, 4, 67
- Combining techniques, 4, 48, 51–52
 - bit-error probability behavior, 52
 - equal gain combining, 4, 51–52
 - maximal ratio combining, 4, 51–52
 - Rayleigh fading signals, 4, 51–52
 - selection diversity, 4, 51–52
- Commercial building wiring standard, 2, 42–46
- Common class development, 5, 16
- Common intermediate format (CIF), 1, 36–37, 44, 79, 3, 12–13
- Common-mode emissions, 2, 35
 - impedance matching, 2, 35
 - VCC layer, 2, 35
- Common Technical Regulations (CTR_s), 2, 30–31
- Communication module (CM), 5, 5–8
 - Communications Module Model 2 (CM2), 5, 7–8
 - fiber-optic cable, 5, 7–8
 - interface, 5, 7–8
 - operations, administration, and maintenance (O&M), 5, 8
 - paddle-boards, 5, 7–8
 - time-slot links, 5, 7–8
- Communications interfaces, 1, 53
 - AT&T Accunet, 1, 53
 - fractional T1, 1, 53
 - T1, 1, 53
- Communications Program for Advanced Switching Services (COMPASS)
 - applications, 6, 67–75
 - broadband ISDN/ATM, 6, 70–75
 - computer networking, 6, 67
 - executive desk-top videophone, 6, 67–69
 - high-speed data networking, 6, 67–68
 - high-speed image transfer, 6, 67
 - multimedia access, 6, 67
 - switched DSL, 6, 69–70
 - Switched Multimegabit Data Service (SMDS) and frame relay, 6, 70
 - system administrator, 6, 75
 - trial evaluation, 6, 67
 - video, 6, 67
- Communications Program for Advanced Switching Services (COMPASS)
 - Broadband Trials, 6, 67–75
- Communications protocol, 1, 25
 - bearer channel, 1, 25
 - link-access procedure-balanced (LAPB), 1, 25
 - X.25 packet switching protocol, 1, 4–5, 25
- Communications Systems Group (CSG), AT&T, 6, 76–81
- COMPASS *See* Communications Program for Advanced Switching Services
- Compact disk read-only memory *See* CD-ROM
- Competent bodies (CBs) certification, 2, 28–29
- Complementary metal-oxide semiconductor (CMOS), 2, 52, 5, 52
- Compressed digital video, 6, 18
- Compression algorithm, 1, 4, 83–87
 - bidirectional temporal prediction, 1, 85
 - backward prediction, 1, 85
 - exploiting spatial redundancy, 1, 83–84
 - exploiting temporal redundancy, 1, 84–85
 - forward prediction, 1, 85
 - interpolation, 1, 85
 - prediction error, 1, 84
 - reference frame, 1, 84–85
 - still image standard, 1, 83–85
 - target block, 1, 84–85
 - videoconferencing, 1, 83–84
- Compression Labs Inc. (CLI), 1, 16–18, 36, 44
 - Rembrandt II/06 video codec, 1, 16–17
- Computer-aided design (CAD) systems, 2, 34–35
- Computer file protector, user-friendly, 2, 74–75
 - cryptographic file system (CFS), 2, 74–75
 - cryptographic key, 2, 74–75
 - encrypt UNIX system files, 2, 74–75
- Computer-supported collaborative work (CSCW), 1, 41–49
- Computers, history, 5, 50
- Computers, notepad, 5, 50
- Concept presentation system (CPS), 3, 46
- Conducting competitive analysis, 3, 75, 80
 - identifying weaknesses, 3, 80
 - penalties for ignoring competition, 3, 80
 - QFD framework, 3, 80
 - starting the process, 3, 80
- Conference management, 1, 42–43
- Conferencing, multimedia, 1, 41–49
- Conformity assessment (CA), 2, 4, 25–26, 30–31
 - CISPR emissions requirements, 2, 26
 - conformity to type, 2, 4, 30
 - EN Standard 29001, 2, 30–31
 - full quality assurance, 2, 31
 - mandatory standards, 2, 4, 25–26
 - production quality assurance, 2, 30
 - quality system (QS) conformity, 2, 31
 - type examination, 2, 4, 30
- Connected text recognition, 5, 66–68
- Constant-bit-rate (CBR) services, 6, 10, 39–40
- Consumer demands, 6, 24–25
 - flex-time work schedules, 6, 24–25
- Content and format, access features of online documentation systems, 3, 71–73
- Context dependent (CD), 5, 28–29
- Context-independent phone-like units (CI-PLUS), 5, 28
- Contextual information, 5, 67–68
 - city names database, 5, 67, 71–72
 - grammars, use of, 5, 67–68
- Convolutional channel coding, 4, 14
- Copper-niobium composite wire, 3, 2

COR See Class of restriction
 Core-access modem interface logic, version 2 See CAMEL2
 Cox, Richard V., 4, 64-73
 CPS See Concept Presentation System
 CPU See Central processing unit
 CRC See Class responsibility collaborator cards
 CRC See Cyclic redundancy check
 Crouch, Paul E., 1, 33-40
 Crosby, Steven M., 2, 25-40
 CSCW See Computer-supported cooperative work
 CSG See Communications Systems Group
 CSMA/CA See Carrier sense multiple access/collision avoidance
 CSMA/CD See Carrier sense multiple access/collision detection
 CSUC See California State University in Chico
 CT-2 system, European, 4, 15, 56
 Cunningham, James P., 3, 57-66
 Customer-activated terminal (CAT), 3, 52
 Customer commitment, 6, 81
 Customer expectations, 2, 2-4
 Customized development, global, 2, 6-16
 delta approach, 2, 9-10
 international design, 2, 6-7
 Italtel Telematica, 2, 9-10
 type approval requirements, 2, 6-7
 Customized hardware development, 2, 7-16
 CVD See Chemical vapor deposition
 Cyclic redundancy check (CRC), 4, 14

D

D/A conversion See Digital-to-analog conversion
 DARPA See Defense Advanced-Research Projects Agency
 Data Bridge/Adjunct Switch Application Interface (ASAI), 1, 19-20
 Data bridging, 1, 42-43
 Data-link layer protocol, ISDN, 2, 54
 X.25 packet-switching protocol, 2, 54
 Data networks, 2, 75
 Data transmission, 1, 23-27, 2, 18
 Data transmission, burst mode, 1, 90
 DCT See Discrete cosine transform
 Declaration of conformity, 2, 28-29
 Decoder, 1, 52, 58-61
 AVP-4220D video decoder chip, 1, 52, 58-61
 color converter, 1, 61
 memory controller, 1, 61
 signal processor, 1, 61
 symbol processor, 1, 61
 variable length decoder, 1, 61
 Decoder structure, 1, 79-81
 block layer, 1, 79
 CIF picture format, 1, 79-80
 decoder components, 1, 79
 group of blocks (GOB) layer, 1, 79
 hypothetical reference decoder (HRD), 1, 81
 image-block updating rate, 1, 81
 macroblock layer, 1, 79
 picture format, 1, 79-80
 picture layer, 1, 79
 protocols, 1, 79
 QCIF picture format, 1, 79-80
 Decoder techniques, 1, 58
 Decoders, concatenated, 4, 61
 Decoding techniques, advanced, 4, 60-61
 concatenated decoders, 4, 61
 generalized Viterbi algorithm (GVA), 4, 61
 interframe redundancy, 4, 61
 list Viterbi algorithm (LVA), 4, 61
 soft output Viterbi algorithm (SOVA), 4, 61
 speech decoder, 4, 60-61
 Viterbi decoder, 4, 60-61
 DECT system, European, 4, 15, 56

Defense Advanced-Research Projects Agency (DARPA), 5, 25-36
 air-travel information system (ATIS) task, 5, 25-27, 34
 large-vocabulary recognition (LVR) tasks, 5, 25-27
 naval resource management (RM) experimental results, 5, 31-34
 naval resource management (RM) tasks, 5, 25-27
 Definity Generic 3 (G-3) communications system, 2, 62-73
 global design problems, 2, 62-73
 global hardware engineering, 2, 62-73
 hardware flexibility, 2, 62-73
 platform, 2, 62
 Definity Manager IV, 3, 57
 Definity PBX system
 administrative parameters, 2, 57-61
 diverging protocols, 2, 53-61
 gateway functionality, 2, 60
 intelligent maintenance architecture, 2, 58-61
 software, 2, 55-61
 Definity telecommunication system, 1, 15-20, 38-40, 2, 11, 18-20, 50-61
 advanced call vectoring, 2, 19-20
 diverging protocols, 2, 55-56
 software for non-DTMF calls, 2, 19-20
 world class core (WCC) feature set, 2, 20-21
 world class system feature set, 2, 52-61
 DeMaio, Michael, 6, 23-28
Design and Development for a Global Market, 2, 2-5
 Design flexibility, world-class hardware and transmission, 2, 66
 Design review process, user interface (UI), 3, 84-85
Designing Easy-to-Use Online Documentation Systems, 3, 67-74
 Desk-top videophone, executive, 6, 67-69
 Development cycle, reduced, 5, 19
 Development environment support, 5, 19
 C++ compiler, 5, 19
 OOD tools, 5, 19
Development of WaveLAN, an ISM Band Wireless LAN, 4, 27-37
 Dial-pulse (DP) telephones, 2, 18, 21
 pushbutton telephones, 2, 21
 rotary telephones, 2, 21
 Diamond film etching, 3, 3
 Diamond-shaping process, 3, 3
 applications, 3, 3
 chemical vapor deposition (CVD) diamond films, 3, 3
 diamond semiconductors, 3, 3
 DID See Direct inward dialing
 Differential cosine transform (DCT), 1, 28, 44, 67
 Differential mode emission, 2, 34-35
 Differential pulse code modulation (PCM), 1, 44
 Differential quadrature phase-shift-keying (DQPSK), 4, 14, 20, 32-34, 49
 Gray gigabit decoding, 4, 34
 information demodulation, 4, 34
 information modulation, 4, 32-34
 Digital bit stream for voice conversations, 4, 20
 encoding, 4, 20
 interleaved, 4, 20
 transmitted, 4, 20
 Digital bit streams, 1, 2-4
 Digital cellular systems, future, 4, 25-26
 asynchronous circuit-switched data, 4, 25
 digital control channel, 4, 25
 enhanced data services, 4, 25-26
 half-rate speech coding, 4, 25
 increased system capacity, 4, 25
 Digital factor in Operations Systems management, 4, 9-10
 Digital Mobile Communications Network Internode/Radio Center for Research (DMN/RCR), 4, 40-41
 Digital modulation schemes, 4, 19-22, 48-51
 differential quadrature phase-shift-keying (DQPSK), 4, 20, 49
 Interim Standard (IS-54) TDMA standard, 4, 19, 21-22, 48-49
 Digital networking unit-SONET (DNU-S), 5, 10
Digital Radio for Mobile Applications, 4, 19-26
 Digital radio technologies, advanced, 4, 19-26
 frequency planning, 4, 19
 increasing subscribers, 4, 19
 radio-frequency spectrum, efficient use, 4, 19

- services and features, support 4, 19
- transition from analog to digital, 4, 19
- voice quality improvement, 4, 19
- Digital signal processing (DSP), 5, 10-11
- Digital signal processors, 1, 50-66
- Digital telecommunications services, enhanced, 5, 37-39
 - Broadband Integrated Services Digital Network (BISDN), 5, 37-39
 - cellular services, 5, 37-39
 - computer graphics, 5, 37-39
 - high-definition television (HDTV), 5, 37-39
 - microcell interconnection, 5, 37-39
 - modeling, 5, 37-39
 - parallel processing, 5, 37-39
 - pattern recognition, 5, 37-39
 - real-time image processing, 5, 37-39
 - speech processing, 5, 37-39
 - video conferencing, 5, 37-39
- Digital-to-analog (D/A) conversion, 1, 27
- Digital transmission techniques, digitized speech, 4, 61-62
- Digital trunks, 2, 69
 - bit-oriented signaling (BOS), 2, 69
 - DS1 (U.S.) digital trunk, 2, 69
 - E1 (European) digital trunk, 2, 69
 - world-class digital processes, 2, 69
- Digital video, high-resolution, 6, 5
- Digital wireless advantages, 4, 38, 42
 - interconnect services, 4, 38
 - roaming, 4, 38
 - Signaling System 7 (SS7) service, 4, 38, 42
- Digital wireless systems standards, 4, 56
 - analog cellular standards, 4, 56
 - bandwidth channels, 4, 56
 - channel coding, 4, 56
 - cordless standards, parameters, 4, 56
 - equalization, 4, 56
 - GSM standards for Europe, 4, 56
 - incompatibility of country-specific standards, 4, 56
 - IS-54 standard for North America, 4, 56
 - power control, advanced, 4, 56
 - speech activity detection (SAD), 4, 56
 - two-fold space diversity, 4, 56
- Direct inward dialing (DID), 2, 63-69
- Direct-sequence spread-spectrum (DS-SS) modulation, 4, 22
- Discrete cosine transform (DCT), 1, 28, 44, 67
- Display, liquid-crystal (LCD), 1, 25
- Distance education, 3, 44
 - California State University at Chico, 3, 44
 - NCR 3331 Multimedia Learning Station, 3, 44
 - Pacific Bell, 3, 44
- Distance learning, 1, 4, 15-21, 41
- Distance learning applications, high-definition, 6, 71-72
- Distance learning trial, 1, 16-21
- Distance vs. outage model, 4, 35-36
 - outage calculations, 4, 35
 - signal-to-noise ratio (SNR), 4, 35-36
- Diverging protocols, Definity system, 2, 55-61
- Diversity principles, 4, 48, 51
 - frequency diversity systems, 4, 51
 - space diversity systems, 4, 51
- Diversity techniques, 4, 14-15
 - antennas, 4, 15
 - rake receivers, 4, 15
 - space diversity, 4, 15
 - time diversity, 4, 15
- DL See Distance learning
- DMN/RCR See Digital Mobile Communications Network Internode/Radio Center for Research
- DNUS See Digital networking unit-SONET
- Document translation service, Language Line, 2, 75
- Documentation Architecture Group, 3, 73-74
- Documentation, online See Online documentation
- Dorato, Karen H., 2, 50-61
- Dorsey, Eric, 1, 22-32

- DP See Dial pulse
- DQPSK See Differential quadrature phase-shift-keying
- DRAM See Dynamic random-access memory
- DS See Direct sequence
- DS-SS See Direct-sequence spread-spectrum
- DSP See also Digital signal processing
- DSP-16 digital signal processor, AT&T, 5, 56
- DSP16A digital signal processor, 1, 27, 55
- DSP3210, 1, 55
- DTMF See Dual-tone multifrequency
- Dual-tone multifrequency (DTMF) signaling, 2, 18-19
 - auto-attendant systems, 2, 19
 - availability, 2, 19
 - voice mail systems, 2, 19
- Duplexing techniques, 4, 48, 53
 - frequency-division duplexing (FDD), 4, 53
 - time-division duplexing (TDD), 4, 53
- Duttweiler, Donald L., 1, 67-89
- Dynamic random-access memory (DRAM), 1, 50-66

E

- Early, Scott H., 1, 22-32
- Ease of use, 3, 75-88
- EC See European Community
- EDFA See Erbium-doped fiber amplifier
- EEC See European Economic Community
- EIA See Electronic Industries Association
- EIR See Equipment identity register
- Eldumati, Ismail, 1, 50-66
- Electroluminescent polymers, improved synthesis 5, 2
- Electromagnetic compatibility (EMC), 2, 25-40, 48-49
 - emission from wire, 2, 48
 - formal quality systems, 2, 38
 - immunity, 2, 48
 - quality measurement, 2, 38
 - quality metrics, 2, 38
 - radiation limits, 2, 48
- Electromagnetic compatibility (EMC) directive, 2, 27-29
 - Article 10.2, 2, 29-30
 - Article 10.5, 2, 29-30
 - Declaration of conformity, 2, 27-29
 - emission requirements, 2, 27-28
 - immunity requirements, 2, 27-28
 - manufacturing requirements, 2, 27-28
 - technical construction file (TCF), 2, 28-30
 - Telecom Terminal Equipment (TTE) Directive, 2, 27-31
- Electromagnetic compatibility (EMC) directive compliance, 2, 30-40
 - Article 10.1, 2, 30
 - Article 10.2, 2, 30
 - Article 10.5, 2, 30
 - country-specific national standards, 2, 20
 - technical construction file (TCF), 2, 30
- Electromagnetic interference (EMI), 2, 31-32, 5, 38
 - design techniques, 2, 32
 - environment, 2, 32
 - immunity concepts, 2, 33
 - specific techniques, 2, 33
- Electromagnetic spectrum, 4, 17
 - applications, 4, 17
 - CCIR radio standards, 4, 17
 - spectrum allocation, 4, 17
 - spectrum reallocation, 4, 17
- Electromigration, 5, 54-55
- Electronic Industries Association (EIA), 1, 27-28, 2, 42-46, 4, 39
 - EIA/TIA-568 standards, 2, 42-46
 - RS-170a standard, 1, 27-28
- Electronic Industries Association/Telecommunications Industry Association (EIA/TIA) standard, 2, 42-46
- Electronic ink, 3, 24-25
 - GO MiniNote application, 3, 24

Electronic performance support (EPS), 3, 45-46

Electronic searches, 3, 69-70

- Boolean searches, 3, 70
- full-text searches, 3, 70
- keyword searches, 3, 70

Electrostatic discharge (ESD), 2, 33

- direct ESD, 2, 33

EMC *See* Electromagnetic compatibility

EMI *See* Electromagnetic interference

Enabling technologies, 1, 8-9

- compression, 1, 8
- data storage, 1, 9
- digital transmission, 1, 8-9

Encoder, 1, 52, 61-63

- AVP-4310E video encoder chip, 1, 52, 61-63
- compressed data FIFO, 1, 62
- constraints and options, 1, 81-82
- DRAM FIFO controller, 1, 62
- global controller, 1, 61
- memory controller, 1, 61
- motion estimator, 1, 62
- quantization processor, 1, 62
- signal processor, 1, 62
- techniques, 1, 58
- variable-length encoder, 1, 62

End-to-end digital connectivity, 1, 38-39

End-user tasks, enumerating, 3, 75, 79-80

End-users, identifying/knowning 3, 75-77

- needs and demands, 3, 77
- project management team, 3, 76
- targeting end-users, 3, 76
- technology-driven approach, 3, 76-77
- usability factors, 3, 77
- usability testing, 3, 77
- user-centered design, 3, 76-77

Englander, Arnold C., 1, 50-66

Enhanced data services, digital cellular systems, 4, 25-26

- short-message paging, 4, 26
- sleep-mode capability, 4, 26

Enhanced tip-and-ring (ETR) station ports, 2, 7-9

Enterprise network solution, 6, 57-66

EPS *See* Electronic performance support

Equipment identity register (EIR), 4, 39

Erbium-doped fiber lasers, 3, 3

Erbium-doped fiber amplifiers (EDFAs), 2, 74

ESD *See* Electrostatic discharge

Ethernet, 2, 26, 6, 13

ETR *See* Enhanced tip and ring

ETSI *See* European Telecommunication Standards Institute

ETSI NA5 *See* European Telecommunications Standards Institute Network Aspects

Eudy, J. Scott, 2, 41-49

European Community (EC) standards, effects, 2, 26-29, 62-63

- CE Mark, 2, 27-29
- CISPR publication 22, 2, 26
- CISPR publication 24, 2, 27
- external suppression, 2, 26-27
- power line emission limits, 2, 26-27

European Computer Manufacturers Association (ECMA), 2, 52, 57

European CT-2 system, 4, 15, 56

European DECT system, 4, 15, 56

European Economic Community (EEC), 2, 63

European Economic Community (EEC) development, 6, 24

European ISDN Users Forum (EIUF), 2, 52

European Organization for Electrotechnical Standardization (CENELEC), 2, 26

- EN 50082-1 immunity, 2, 27
- European Norm EN55022, 2, 26
- EN Standard 29001, 2, 4, 30-31

European Telecommunication Standards Institute (ETSI), 2, 51, 54

- digital interface, 2, 51

European Telecommunications Standards Institute (ETSI) Network Aspects (NA5), 6, 11

Evolvable equipment, 6, 20-21

- Integrated Services Platform (ISP), 6, 20-21

Evolution of Global Key-System Platforms, 2, 6-16

Evolution Toward Broadband, 6, 15-22

Executive desk-top videophone, 6, 67-69

- AT&T ISDN 7507 display terminal, 6, 68
- Picturephone style service, 6, 68

F

4ESS switch, 6, 39

5ESS base switch software architecture, 4, 43-45

- application software, 4, 42-43
- database management, 4, 42-43

5ESS Mobile Switching Center (MSC), 4, 39, 41-47

- country-specific standards, 4, 41-42
- hardware architecture, 4, 42
- software architecture, 4, 42

5ESS switch 1, 5, 16-18, 38-40, 3, 46, 4, 13, 38-47, 5, 4-13, 25, 6, 39, 67-68

- administrative module (AM), 5, 5-6
- communication module (CM), 5, 5-6
- country-specific standards, 4, 40-41
- digital switching, 5, 5-6
- network design, 5, 5-6
- open interfaces, 4, 40-41
- public switched telephone network, 5, 5-6
- Service Net-2000, 5, 5-6
- switching evolution, 5, 4-6
- switching module (SM), 5, 5-6

5ESS@-2000 Switch: *The Next Generation Switching System*, 5, 4-13

5ESS@-2000 switching module-2000, 5, 4-13, 6, 21

- bandwidth management, 5, 4-13

5ESS@ Wireless Mobile Switching Center, 4, 38-47

5ESS wireless switch

- call control, 4, 45-47
- global switching module (WGS), 4, 42
- hardware architecture, 4, 42
- software architecture, 4, 43-45
- wireless call control, 4, 45-47
- wireless switching module (WSM), 4, 42

500-channel cable television (CATV), 6, 26-27

Farber, James M., 3, 4-6

Fault-tolerant software, 4, 2, 9

- detection algorithms, 4, 2
- libft, 4, 2
- nDFS, 4, 2
- open-system computers, 4, 2
- recovery techniques, 4, 2
- software library, 4, 9
- watchd, 4, 2

FCC *See* Federal Communications Commission

FDD *See* Frequency-division duplexing

FDDI *See* Fiber-distributed data interface

FDMA *See* Frequency-division multiple access

Feature analysis of a baseline speech-recognition system, 5, 27-28

- acoustic feature vectors, 5, 27
- linear predictive coding (LPC) spectral analysis, 5, 27
- scalars, 5, 28
- utterance, 5, 27

FEC *See* Forward error correction

Federal Communications Commission (FCC), 2, 4, 8, 26-27, 48-49, 69

- electromagnetic radiation limits, 2, 47
- E&M signaling mode, 2, 69
- MP-4, 2, 27
- notice of proposed rule making, 2, 27

Federal Communications Commission (FCC) regulations, 4, 15, 27, 29, 36

- Part 15 rules and regulations, 4, 29
- spread-spectrum regulations, 4, 15

Feedback and error impact, 3, 36-37

Fenton, Frank M., 2, 2-5

Ferenc, James J., 6, 48–56
 FH *See* Frequency-hopping
 Fiber-distributed data interface (FDDI), 2, 41, 1, 52
 Fiber-distributed data interface II, (FDDI-II), 1, 52
 Fiber lasers, 3, 3
 erbium-doped fiber lasers, 3, 3
 rare-earth-doped fiber lasers, 3, 3
 refractive index gratings, 3, 3
 Fiber optics, 5, 4–13
 Fibers, dispersion-shifted, 4, 2
 Field research techniques, 3, 52
 FIFO *See* First-in, first-out
 Film, synthetic diamond, 1, 91
 First-in, first-out (FIFO) server, 1, 63
 FM *See* Frequency modulated
 Fong, Kenneth T., 2, 2–5
 Forward error correction (FEC), 4, 14
 Frequency components above 200 MHz, 2, 33
 Frequency components below 200 MHz, 2, 33
 direct ESD, 2, 33
 ferrites, 2, 33
 free-space capacitance, 2, 33
 skin effect, 2, 33, 35
 Frequency-division duplexing (FDD), 4, 53
 Frequency-division multiple access (FDMA), 4, 52
 Frequency-hopping (FH) multiple access, 4, 52–53
 Frequency-modulated (FM) quality audio, 3, 47
 Frequency-selective fading, 4, 53
 Frequency-shift-key (FSK) modulation, 4, 13
 Frisch, Howard D., 2, 17–24
 FSK *See* Frequency shift key
 Fuzzy information, 2, 74

G

G3MA Online Guide, 3, 69–70
 Gallensky, Neil E., 2, 62–73
 Garberg, Roger B., 3, 28–41
 Garden slugs, 2, 74
 Gaudin, Mark A., 4, 38–47
 Gaussian minimum shift key (GMSK) modulation, 4, 9, 50
 Gauvain, Jean-Luc, 5, 25–36
 GCNS-2000 asynchronous transfer mode (ATM) switch, 6, 21, 40, 47
 Generic cabling standard for the customer premises, 2, 42–46
 draft standard, 2, 45
 historical perspective, 2, 44
 horizontal subsystem, 2, 44–45
 link performance, 2, 45
 Generic Conference Control (GCC), 1, 47
 CCITT T.124 GCC standard, 1, 47
 Gitlin diversity-coding algorithm, 4, 7
 Global communications, 2, 2–4
 Global design problems, 2, 63–65
 administrative software complexity, 2, 63–64
 cost, 2, 64
 design complexity, 2, 63–64
 design time, 2, 64
 market window, 2, 63
 product consolidation, 2, 64
 size of customer base, 2, 64
 Global ISDN standards, 2, 51–52
 Blue books, 2, 51–52
 evolution, 2, 51
 Red books, 2, 51–52
 White books, 2, 51–52
 Global market partnering, 2, 2–4
 business unit partnering, 2, 2–4
 cross-functional partnering, 2, 2–4
 customer partnering, 2, 2–4
 joint venture partnering, 2, 2–4
 Global markets, design for, 2, 62–73

Global markets, ISDN design for, 2, 50–61
 Global networks, 4, 4–10
 Global platforms, 2, 2, 7, 11–15
 Global products, 2, 17–24
 country-specific features, 2, 2–3
 homologation, 2, 2–3
 mandatory standards, 2, 2–3
 network interfaces, 2, 2–3
 type approval, 2, 2–3
 voluntary standards, 2, 2–3
 Global products, Partner key system, 2, 6–16
 Global products, PBX standards, 2, 50–51
 Global products, testing, 2, 4
 Global System for Mobile Communications (GSM), 4, 14, 40–41, 48
 Global System for Mobile (GSM) Communications, 5, 4–13
 GlobeView-2000 broadband system, 6, 76–78
 access module, 6, 78
 BaseWorX applications platform, 6, 77
 service management module, 6, 77
 service node, 6, 77
 Switched Multimegabit Data Service (SMDS) and frame relay services, 6, 77
 switched services module, 6, 78
 system configuration, 6, 78
 telecommunications management network (TMN) standards, 6, 77
 UNIX operating system, 6, 77
 GlobeView-2000 system configuration, 6, 78
 GMSK *See* Gaussian minimum shift key
 GO MiniNote application, 3, 24
 GO Penpoint Operating System, 3, 23
 Gould, Kevin W., 4, 64–73
Graphical Interfaces for Network Operations and Management, 3, 57–66
 Graphical user interfaces (GUIs), 3, 6, 57–66
 Graphical user interfaces (GUIs), challenges, 3, 65–66
 Graphical user interface (GUI) network products, 3, 57–66
 Accumaster Services Workstation, 3, 57–58
 AT&T's Worldwide Intelligent Network, 3, 57
 Definity Manager IV, 3, 57
 network widget, 3, 63
 PERCEVAL, 3, 57
 TRANSVU II, 3, 57
 Graphical user interface (GUI) software development, 3, 60–65
 applications development, 3, 60
 Motif, 3, 60
 Open Look, 3, 60
 rapid prototyping, 3, 60–61
 X Toolkit (Xt) widget-based applications, 3, 61–63
 X Window System graphical user interface, 3, 60
 xtext specification language, 3, 61–64
 Graphical user interface (GUI) value, 3, 57–60
 birdseye filter, 3, 59–60
 flexible task orientation, 3, 60
 graphics, 3, 58–59
 windows, 3, 57–58
 Ground noise, 2, 35–36
 double-sided rigid (DSR) boards, 2, 35
 Fairchild FAST applications Handbook, 2, 35
 flying fences, 2, 35
 frame grounds, 2, 36
 ground bounce, 2, 35
 grounded metallic covers, 2, 35
 inductance (L), 2, 35
 multi-layer board (MLB) technology, 2, 35
 GSM *See* Global System for Mobile Communications
 GUI *See* Graphical user interface
Guide to Frame Relay, 3, 69–70

H

HAL, computer, 3, 28–41
 ASR system, 3, 30–31

- personal identification number (PIN), 3, 31
- speaker verification (SV), 3, 31
- text-to-speech synthesis, 3, 31
- Halpern, Edward S., 3, 28-41
- Hamilton, Greg D., 2, 62-73
- Handwriting recognition, pen-based, 3, 25-26
- Handwriting recognition, variables, 3, 25-26
- Hang, Hsueh-Ming, 1, 67-89
- Hardware design philosophy, 2, 64-65
 - complex algorithms, 2, 65
 - country-specific differences, 2, 64
 - design cost, 2, 64
 - development time, 2, 64
 - external converters and adjuncts, 2, 65
 - firmware algorithms, 2, 65
 - hardware versus firmware flexibility, 2, 64-65
 - line supervision, 2, 65
 - programmable chip technology, 2, 65
 - protocol timing functions, 2, 65
 - replaceable components, 2, 65
 - signaling protocols, 2, 65
 - standardized interfaces to software, 2, 65
- Hardware platforms, 2, 11-13
- Hardware, world-class, 2, 17
- Hardware design examples, world-class, 2, 65-66
- Haskell, Barry G., 1, 67-89
- HDTV *See* High-definition television
- Heirman, Donald N., 2, 25-40
- Heltai, Blaise L., 1, 7-14
- Henneman, Richard L., 3, 50-56
- Hicks, J. Al, 1, 33-40
- Hidden Markov models (HMMs), 5, 29, 60-72
 - automatic speech recognition, 5, 60-72
 - observable Markov models, 5, 62
 - optical character recognition (OCR), 5, 60-72
 - overview of Markov models, 5, 62
- High-definition television (HDTV), 1, 52-53, 88, 5, 37-39, 6, 18, 26-27
- High-resolution digital video, 6, 5
- High-speed data networking, 6, 67-68
 - Carlson School of Management, University of Minnesota, 6, 67-68
 - SESS electronic switches, 6, 67-68
 - ISDN capability, 6, 68
- High-speed digital circuit design practices, 2, 33-35
- HIPERLAN 5.2 GHz and 17.1 GHz, 4, 36
- History functions, 3, 69-71
 - function key method, 3, 70-71
 - icon method, 3, 70-71
- Hits at Home service, 1, 6, 10-11
 - marketing and pricing, 1, 11
- HLR *See* Home location register
- HMM *See* Hidden Markov model
- Ho, Kelvin K. Y., 4, 19-26
- Hobbit chip sets, 6, 2
- Hobbit microprocessor, AT&T, 5, 50
- Hobbit microprocessors, 92K, 6, 2
- Home location register (HLR), 4, 39
- Hoover, Herbert, 3, 7
- Horenkamp, John J., 2, 41-49
- Horn, David N., 1, 41-49
- Hornbach, Barbara H., 5, 4-13
- Horwedel, Jon H., 4, 38-47
- Host processor, 1, 23
- HRD *See* Hypothetical reference decoder
- Houck, Warren B., 2, 6-16
- Huh, Won U., 2, 62-73
- Human Factors Lab, 1, 29-30
- Hybrid networking technology, 6, 61
 - integration of voice and data, 6, 61
 - private data networks, 6, 61
- Hypertext links, 3, 69, 71
- Hypothetical reference decoder (HRD), 1, 81
- IBERCOM, 2, 70
- IC *See* Integrated circuit
- IEC *See* International Electrotechnical Commission
- IEEE *See* Institute of Electrical and Electronics Engineers
- Image and Video Coding Standards*, 1, 67-89
- Image communication, 3, 9-12
 - hearing-impaired persons, 3, 9-12
 - nonverbal information, 3, 9-12
 - speech-impaired persons, 3, 9-12
 - visual channel, 3, 9-12
 - visual communication, 3, 9-12
- Image compression, 1, 2, 8
- Image database, 1, 69
 - document browsing, 1, 69
 - nonprogressive storage, 1, 69
- Image quality, video, 3, 12-13
- Immunity concepts, 2, 33
- Immunity standards, 2, 27
 - CE Mark, 2, 27
 - CISPR publication 24, 2, 27
 - EN 50082-1 immunity, 2, 27
 - Information Technology Equipment (ITE) immunity, 2, 27
- Impedance stabilization network (ISN), 2, 26
- IN *See* Intelligent network
- Industrial, scientific and medical (ISM) band, 4, 15, 27, 36
- Information Age, 6, 15-21
- Information exchange tasks, 3, 11
- Information networking services, 6, 23-28
 - business climate, changes, 6, 23-24
 - consumer demands, 6, 24-25
 - legal and regulatory changes, 6, 24
 - technology-driven changes, 6, 24
- Information Technology Equipment (ITE)
 - immunity, 2, 27
 - products, 2, 28
- Inkrott, Joyce A., 1, 15-21
- Innovative Technologies for Preventing Network Outages*, 4, 4-10
- Institute of Electrical and Electronics Engineers (IEEE), 4, 27, 5, 37-38
 - 802 standard, 4, 27-28
 - IEEE 1596-1992 Scalable Coherent Interface (SCI), 5, 37-38
- Integrated circuits (ICs), 4, 15, 5, 37-48
- Integrated circuits (ICs), hybrid, 5, 37-48
 - multilayer hybrid circuits, 5, 47
 - POLYHICS, 5, 47
- Integrated optoelectronic amplifiers, 2, 74
- Integrated Services Digital Network (ISDN), 1, 15-21, 33-40, 52, 67-89, 2, 4, 30-31, 50-61, 62-73, 3, 8, 4, 13, 41, 47, 5, 4
 - architecture, 6, 5-6
 - Common Technical Regulations (CTRs), 2, 30-31
 - principles and standards, broadband, 6, 9-14
 - supplementary services, 4, 41, 47
 - trunks, 2, 4
- Integrated Services Digital Network (ISDN) and distance learning, 1, 15-21
- Integrated Services Digital Network (ISDN) and video compression technology, 1, 33-40, 41-49
- Integrated Services Digital Network (ISDN) personal video in business, 1, 34
- Integrated Services Digital Network (ISDN) personal video in society, 1, 34
- Cable News Network (CNN), 1, 34
- Music Television (MTV), 1, 34
- Integrated Services Digital Network (ISDN) PRI deployment series, 2, 52
 - CCITT red book standards, 2, 52
 - data-link layer—layer 2, 2, 54
 - network layer—layer 3, 2, 54-55
 - physical layer—layer 1, 2, 53-54
 - migration to common protocol, 2, 52
 - RNIS numeris VN2 protocols, 2, 52
 - RNIS numeris VN3 protocols, 2, 52
 - RNIS numeris VN4 protocols, 2, 52
 - RNIS numeris VN5 protocols, 2, 52

Integrated Services Digital Network (ISDN) Private Network Specification Forum (IPNS), 2, 52

Integrated Services Digital Network (ISDN) video-telephony service, 1, 5

Integrated Services Platform (ISP), 6, 20-21

Integrated touch screen (ITS) work station, 3, 53

Intelligent access network controller, 4, 6

Intelligent bandwidth management (IBWM), 6, 57-66

- architecture, 6, 61
- background, 6, 59-60
- changing times, 6, 60-61
- characteristics, 6, 61-62
- network development, 6, 63-66
- premises equipment, relationship to, 6, 63-66

Intelligent Bandwidth Manager and Its Role in Enterprise Networks, 6, 57-66

Intelligent network (IN), 5, 4, 7

Intelligent network (IN) nodes, 4, 38-47

- authentication center (AUC), 4, 39
- equipment identity register (EIR), 4, 39
- home location register (HLR), 4, 39

Inter-Span services network, 6, 78-79

- frame-relay services, 6, 79
- planned evolution, 6, 78-79

Interactive telecommunications services, 3, 28-41

- attendants, 3, 28
- operators, 3, 28
- safety of operation, 3, 28
- voice messaging, 3, 28

Interactive video services, 1, 7-14

- consumer demand, 1, 7
- enhanced pay-per-view service, 1, 7
- video on demand, 1, 7-8
- willingness to pay, 1, 7

Interexchange carrier (IXC) solutions, 6, 61

Interfacing video telephony to ISDN, 1, 38

International Considerations in PBX Design, 2, 17-24

International directives, 2, 25-40

- conformity assessment (CA), 2, 25-26

International Electrotechnical Commission (IEC), 2, 26-27, 42-46

International Electrotechnical Commission Special International Committee on Radio Interference (CISPR)

- CISPR emissions requirements, 2, 26
- CISPR publication 22, 2, 26
- electromagnetic radiation limits, 2, 47
- Ethernet, 2, 26
- extended local area networks (LANs), 2, 26
- IEC 801.4 standard for testing, 2, 48-49
- IEC 950 standard for user safety, 2, 9
- impedance stabilization network (ISN), 2, 26
- public switched telephone network (PSTN), 2, 26
- token ring, 2, 26

International Organization for Standardization (ISO), 1, 67, 4, 27-28

- four-layer communication model, 4, 27-28
- generic cabling standard for customer premises, 2, 42-46
- protocols, 4, 27

International Organization for Standardization (ISO) 9000 standard, 2, 3, 31, 52, 4, 27

- ISO 9000 standard, 2, 3
- ISO 9001 standard, 2, 31
- ISO 9002 standard, 2, 31

International Organization for Standardization/International Electrotechnical Commission (ISO/IEC) standard, 2, 42-46

International Radio Consultative Committee (CCIR), 1, 87, 4, 17

- CCIR 601, 1, 87

International Telecommunications Union (ITU), 6, 9-14

International Telecommunications Union (ITU) Study Group 13, 6, 10-11

- TIS1.5 draft standard, 6, 10-11

International Telecommunications Union Technical Standards Section (ITU-TSS), 6, 4-8, 11

- Q.93B for signal calling, 6, 4

International Telegraph and Telephone Consultative Committee *See* International Telecommunications Union Technical Standards Section (ITU-TSS) and CCITT

International wireless standards

- Advanced Mobile Phone Service (AMPS), 4, 12-13, 40-41
- American National Standards Institute (ANSI), 4, 39
- Digital Mobile Communications Network Intermode/Radio Center for Research (DMN/RCR), 4, 40-41
- Electronic Industries Association (EIA), 4, 39
- Global System for Mobile Communications (GSM), 4, 40-41, 48
- Japan digital cellular (JDC) standard, 4, 48
- open interfaces, 4, 40-41
- Pan-European Global Systems for Mobile Communications (GSM), 4, 39, 41, 43
- Telecommunications Industry Association (TIA), 4, 39

Interpersonal tasks, 3, 11-12

Interprocess communication (IPC), 3, 61-63

Interprocess communication (IPC) protocol, 3, 63

- xtent code advantages, 3, 63

Intraswitch messaging network, 5, 6-7

IPC *See* Interprocess communication

IPNS *See* ISDN Private Network Specification Forum

ISDN *See* Integrated Services Digital Network

ISDN Design for Global Markets, 2, 50-61

ISDN Personal Video, 1, 33-40

ISN *See* Impedance Stabilization Network

ISO *See* International Organization for Standardization

ISP *See* Integrated Services Platform

Israelski, Edmond W., 3, 7-20

Italtel Telematica, 2, 9-10

ITE *See* Information Technology Equipment

ITU *See* International Telecommunications Union

ITU-TSS *See* International Telecommunications Union Technical Standards Section

IXC *See* Interexchange carriers

J

Japan digital cellular (JDC) standard, 4, 48

Japanese Personal Handy Phone (PHP) system, 4, 15

Jayant, Nikil S., 4, 64-73

Jetzt, John J., 1, 33-40

JBIG *See* Joint Bilevel Image Group

Joint Bilevel Image Group (JBIG), 1, 67-69

Joint Bilevel Image Group (JBIG) algorithm, 1, 67, 70-72

Joint Bilevel Image Group (JBIG) encoders, 1, 67-72

- adaptive arithmetic encoder, 1, 70
- adaptive templates, 1, 71
- bottom-layer encoder, 1, 70
- deterministic prediction, 1, 71
- differential layer encoder, 1, 70
- image coding standard, 1, 67-72
- JBIG encoder, 1, 70
- pipelining, 1, 70
- resolution reduction, 1, 70
- typical prediction, 1, 71-72

Joint Photographic Experts Group (JPEG), 1, 44, 51, 55, 67, 72-78

- ac coefficient entropy coding, 1, 75
- algorithm, 1, 72-73
- baseline system, 1, 74
- compressed-image data structures, 1, 74
- data interleaving, 1, 73
- DC coefficient entropy coding, 1, 75
- DCT and quantization, 1, 74-75
- hierarchical mode, 1, 76-78
- lossless mode, 1, 76
- marker codes, 1, 73
- operations, 1, 73-78
- parameters, 1, 73
- progressive DCT, 1, 75-76
- sequential DCT, 1, 74
- spectral selection, 1, 75-76
- still-color-image coding, 1, 72-78
- successive approximation, 1, 76

zig-zag scan, 1, 75
JPEG *See* Joint Photographic Experts Group
Joint venture partners, 2, 2-4
Italtel Telematica, 2, 9-10

K

Kafka, Henry J., 6, 15-22, 23-28, 29-38
Kamath, Yogeesh H., 5, 14-24
Katz, Bryan S., 2, 17-24
Key systems, Merlin, 2, 8-9
Key systems, Partner, 2, 6-16
Keypads, telephone, 2, 20
Kim, Young Ock, 5, 50-59
Klau, Lisa J., 2, 50-61
Knight, James L., Jr., 2, 17-24, 62-73
Koenig, Arthur H., 1, 7-14
Kozik, Jack P., 4, 38-47
Kunzinger, Frederick F., 4, 19-26
Kuo, Shyh-shiaw, 5, 60-72
Kuzma, Andrew, 1, 22-32

L

LAN *See* Local-area network
Language Line document translation service, 2, 75
Language matching, sentence level, 5, 30-31
Large-vocabulary recognition, 5, 25-36
Large-vocabulary recognition systems, 5, 25-26
 speaker-independent systems, 5, 25-26
 statistical pattern recognition, 5, 25-26
Large-vocabulary recognition systems, American, 5, 25-26
 Bolt, Beranek and Newman BYBLO system, 5, 25
 Carnegie Mellon University SPHINX system, 5, 25
 Lincoln Lab Tied-Mixture system, 5, 25
 Massachusetts Institute of Technology Summit system, 5, 25
 Stanford Research Institute DECIPHER system, 5, 25
Large-vocabulary recognition systems, Canadian, 5, 25-26, 34
 INRS isolated-word recognition system, 5, 25, 34
Large-vocabulary recognition systems, European, 5, 25-26
 CSELT system, 5, 25
 LIMSI, 5, 25
 Philips SPICOS system, 5, 25
Large-vocabulary recognition systems, Japanese, 5, 25-26
 interpretation of telephony, 5, 25
Laser arrays, 5, 41, 42-44
Laser modulation, 5, 42
Laser structures, self-focusing, 5, 3
 molecular beam epitaxy (MBE), 5, 3
 vertical-cavity geometry, 5, 3
 Z-lasers, 5, 3
 zone lasers, structure, 5, 3
Lasers, 3, 3, 6, 54
 erbium-doped fibers, 3, 3
 fiber, 3, 3
 rare-earth-doped fiber, 3, 3
 telecommunications, 4, 3
LCD *See* Liquid-crystal display
Lead alloys, 3, 2
 effects on humans, 3, 2
 environmental aspects, 3, 2
 human factors, 3, 2
Lead-free solders, 3, 2
LEC *See* Local exchange carrier
LED *See* Light-emitting diode
Lee, Chin-Hui, 5, 25-36
Legal and regulatory changes, 6, 24
 cross-ownership restrictions, 6, 24

European Economic Community (EEC) development, 6, 24
Federal Communications Commission (FCC) rule modifications, 6, 24
local exchange carriers (LECs), 6, 24
Levi, Anthony F. J., 5, 37-49
Levy, Roger, 6, 9-14
Lewis, Joel F., 6, 57-66
Light-emitting diode (LED) arrays, advantages and disadvantages, 5, 41
Lightwave transmission, 4, 2
Linear predictive coding (LPC) spectral analysis, 5, 27-28
 cepstral coefficients, 5, 27-28
 mel-frequency scale, 5, 27-28
Liquid-crystal display (LCD), 1, 25
Lithography process, all-dry, 1, 91
 methylsilane films, 1, 91
 photoresist, high-performance, 1, 91
Lively, Barry L., 3, 28-41
Local-area network (LAN), 6, 49
Local-area network (LAN) interconnect, on-demand, 5, 5-6
Local-area network (LAN), WaveLAN wireless, 4, 27-37
Local-area networks (LANS), 2, 26, 41-49, 5, 5-6
 extended local-area networks (LANS), 2, 26
 performance, 4, 36
 protocols, 4, 27-28
 wireless, 4, 11
Local-area networks (LANS), private, 6, 4-8
Local exchange carriers (LECs), 4, 4-5, 6, 24
Local language, 2, 22
Local partnering, 2, 2-4
Long call setup delay, 2, 18-19
 attendant usage, 2, 18-19
 interpreting call-setup delay, 2, 18
 senderized outward addressing, 2, 18
Loop Maintenance Operations System, 4, 4-10
Low-stress molding of multichip modules, 5, 76-77
LPC *See* Linear predictive coding
LVR *See* Large vocabulary recognition systems
Lucky, Robert I., 4, 9-10
Lyons, Terry G., 1, 41-49

M

MAC *See* Media access control
MAC *See* Multi-fiber array connector
Magnet, multi-turn solenoid, 3, 2
Manufacturing parameters, 2, 11-13
 country-specific components, 2, 11-13
 digital encoding, 2, 11-13
 duration of memory, 2, 11-13
 power supply design, 2, 12-13
 power supply differences, 2, 11-13
Marinzoli, Giorgio, 2, 6-16
Market demand, 1, 9
 enhanced catalog shopping, 1, 9
 entertainment video, 1, 9
 games, 1, 9
 information services, 1, 9
 instructional video, 1, 9
Market research, 1, 9-10, 22
Markov model, 4, 65-66, 70-72
Martin, Gary D., 6, 39-47
MBE *See* Molecular beam epitaxy
McCaw Cellular Communications, Inc., 4, 11-18
MCM *See* Multichip module
MCS *See* Multipoint communication service
MCSP *See* Multipoint communication service protocol
MCU *See* Multipoint control unit
Mean opinion score (MOS) study, 4, 65, 70-72
Media access control (MAC), 6, 13
Media fidelity, 3, 47
Media standards, 1, 44-45
 audio standards, 1, 44

- data standards, 1, 44–45
- video standards, 1, 44
- Mean opinion score (MOS) study, 4, 65, 70–72
- Melchner, Melvin J., 4, 64–73
- Merlin key system, 2, 8–9
- Metal-oxide semiconductor (MOS), devices and circuits, 5, 52–54
- MFC *See* Multifrequency-compelled
- Microsoft Windows, 3, 23–24
- Millen, David R., 3, 21–27
- Minimum-mean-squared-error (MMSE) antenna diversity combining, 4, 57
- Miska, Richard A., 4, 11–18
- Mitchell, John C., 1, 41–49
- Mizrahi, Albert, 2, 2–5
- MLP *See* Multi-layer protocol
- MMCB *See* Multimedia conferencing bridge
- MMSE *See* Minimum-mean-squared-error
- MNCR *See* Multinational call routing
- Mobile Switching Center (MSC), 4, 38–47
- Mobile switching, 5ESS wireless, 4, 38–47
- Mobility management, cellular, 4, 43–45
 - country-specific standards, 4, 43–44
 - customer-determined network architecture, 4, 44–45
 - database management, 4, 43–44
 - gateways, 4, 44
 - intelligent network systems, 4, 44
 - multiple Mobile Switching Center system, 4, 44
 - stand-alone wireless system, 4, 44
- Modems, 1, 3–4, 23–27
- Modems, high-speed, 1, 25–27
 - CCITT V.32bis standard, 1, 26
 - telephone channels, 1, 26
 - trellis-coded modulation, 1, 26–27
 - Viterbi encoding, 1, 26–27
- Modification requests in OOT areas, 5, 19–20
- Modulated noise reference unit (MNRU), 4, 70–72
- Modulation techniques for digital transmission, 4, 9, 13
- Molded multichip modules (MCMs), 5, 73–83
- Molecular beam epitaxy (MBE), 5, 3
- Morano, David A., 6, 48–56
- Morton, Christopher H., 6, 57–66
- MOS *See* Mean opinion score
- MOS *See* Metal-oxide semiconductor
- Motif, 3, 60
- Motion Picture Experts Group 2 (MPEG 2), 6, 13, 18, 26
- Motion Picture Experts Group (MPEG) standard, 1, 51, 55, 67, 82–89, 5, 5–6
 - bidirectional temporal prediction, 1, 85
 - bit-stream syntax, 1, 85–86
 - CD-ROM standards, 1, 51
 - coding video signals, 1, 87–89
 - compression algorithm, 1, 83–85
 - data transmission, 1, 82–83
 - digital audio compression, 1, 82–83
 - digital storage media, 1, 82–83
 - interlaced video, 1, 87–88
 - MPEG algorithm, 1, 67, 83
 - requirements, 1, 83
 - scalable video coding, 1, 88
 - spatial redundancy, 1, 83–84
 - temporal redundancy, 1, 84–85
 - video compression, 1, 82–83
 - video standards, 1, 51, 83
- MPEG *See* Motion Picture Experts Group
- MR *See* Modification request
- MSC *See* Mobile Switching Center
- MTV *See* Music Television
- Multi-fiber array connectors (MAC), 5, 38
- Multi-layer protocol (MLP), 1, 44–49
- Multi-turn solenoid magnet, 3, 2
- Multichip module, 5, 73–82
- Multifrequency-compelled (MFC) trunks, 2, 3
- Multifrequency DTMF signaling, 2, 19
- Multimedia conference bridge system architecture, 1, 42–43
 - audio bridging, 1, 42
 - conference management, 1, 42–43
 - data bridging, 1, 42–43
 - multipoint control unit (MCU), 1, 42–49
 - video bridging, 1, 42
- Multimedia and usability, 3, 43–46
- Multimedia applications, 1, 50–52
 - compressed speech, 1, 50
 - compressed video, 1, 50
 - handwriting recognition, 1, 50
 - high-resolution still images, 1, 50
 - networking, 1, 52
 - speech recognition, 1, 50
 - speech synthesis, 1, 50
 - very-large-scale-integrated circuits, 1, 52
- Multimedia-based conferencing, 3, 42–49
 - cost savings, 3, 46
 - human behavioral issues, 3, 47
 - network blackboards, 3, 46
 - Rapport multimedia conferencing system, 3, 44–46
- Multimedia-based performance support, 3, 42–49
 - Concept Presentation System (CPS), 3, 46
 - electronic performance support (EPS), 3, 45–46
- Multimedia-based training, 3, 42–49
 - Advantage multimedia training system, 3, 44
 - regen huts, 3, 45
 - simulation, 3, 45
- Multimedia broadband network (MMBN) services, 6, 79–81
 - Customer Network Management Services, 6, 81
 - Multimedia 800 Service, 6, 81
 - Multimedia Virtual Network (MVN) Service, 6, 79–81
 - universal messaging, 6, 81
 - Virtual Meeting Service (VMS), 6, 80–81
- Multimedia codec architecture, 1, 50–52
- MultiMedia Conferencing Bridge (MMCB), 1, 5, 18–19, 42–43
- Multimedia Distance Learning Trial Using ISDN BRI, A*, 1, 15–21
- Multimedia network architecture, 6, 48–49
- Multimedia products and services, 3, 43–49
 - AT&T/EO Personal Communicator 440, 3, 44
 - AT&T VideoPhone 2500, 3, 7–20, 44
 - AVP-4000 video-compression chip set, 3, 44
 - distance education, 3, 44
 - education, training and performance support, 3, 44
 - entertainment services, 3, 44
 - human factors principles, 3, 44
 - interactive information services, 3, 44
 - multimedia conferencing, 3, 44
 - NCR 3331 Multimedia Learning Station, 3, 44
 - Rapport multimedia conferencing system, 3, 44–46
- Multimedia requirements, 1, 41
- Multimedia standards, 1, 44–47
- Multimedia systems, 3, 42–49
- Multimedia technologies, 3, 42–49
 - computer-supported cooperative work (CSCW) systems, 3, 43
 - input devices, 3, 43
- Multimedia user interface issues, 3, 46–48
 - human behavioral issues, 3, 46–47
 - information navigation, 3, 46
 - media fidelity, 3, 47
 - multimedia environment, control of, 3, 46
 - problems, 3, 46–48
 - time-based information, control of, 3, 46–47
 - tools for multimedia authors, 3, 47
 - use of media, 3, 46
- Multimedia user interface solutions, 3, 48–49
- Multimedia User Interfaces for Telecommunications Products and Services*, 3, 42–49
- Multimedia Virtual Network (MVN) Service, 6, 79–81
- Multinational call routing (MNCR) algorithm, world class, 2, 20–21
- Multiparty multimedia conferencing, 1, 41–49
- Multiparty operation requirements, 1, 41–42
- Multipath in CDMA, 4, 22–23
 - characteristics of spread-spectrum system, 4, 22

rake receivers, 4, 22
 Multiple-access techniques, 4, 48, 52–53
 analog Advanced Mobile Phone Service (AMPS), 4, 52
 code-division multiple access (CDMA), 4, 52–53
 direct-sequence (DS), 4, 52–53
 frequency-division multiple access (FDMA), 4, 52
 frequency-hopping (FH) multiple access, 4, 52–53
 frequency-selective fading, 4, 53
 multiple-access techniques, 4, 48
 narrowband time-division multiple access (TDMA), 4, 52
 time-frequency plane tiling, 4, 53
 Multiple transmit antenna diversity, 4, 57–59
 Multiple-view problem, 3, 17–18
 Multipoint communication service (MCS), 1, 47
 CCITT T.122 MCS standard, 1, 47
 Multipoint communication service protocol (MCSP), 1, 47
 CCITT T.125 MCS standard, 1, 47
 Multipoint control unit (MCU), 1, 42–49
 Music Television (MTV), 1, 34
 MVN *See* Multimedia Virtual Network

N

92K Hobbit microprocessors, 6, 2
 Nanke, Trent R., 6, 67–75
 Narrowband ISDN standards, 6, 9–10
 multimedia applications, 6, 9
 synchronous transfer mode (STM), 6, 9, 12–13
 Narrowband to broadband ISDN, 6, 5–6
 high-speed lasers, 6, 5
 increased bandwidth, 6, 5
 ISDN architecture, 6, 5
 light-emitting diodes, 6, 5
 photodetectors, 6, 5
 single-mode optical fibers, 6, 5
 National Bureau of Standards—Data Encryption Standard (NBS-DES), 4, 28
 National Integrated Services Digital Network (ISDN), 1, 15
 National Integrated Services Digital Network (ISDN) Users Forum (NIUF), 2, 51–52
 National network standards, 4, 41
 National Service Assistance Center (Englewood, Colorado), 2, 8
 National Television Systems Committee (NTSC), 1, 8, 15, 25–28, 36–37, 55, 83, 3, 12–13
 analog video system, 3, 12
 525-line standard, 1, 36
 image quality assessment, 3, 12
 measures of user/viewer perception, 3, 12
 spatial resolution, 3, 12
 Natural Interface for Computing Environments (NICE), 3, 53
 Natural language queries, 5, 34
 NB *See* Notified bodies
 NCR Personal Video System Model 70, AT&T, 3, 18
 NCR 3125 pen computer, 3, 26
 NCR 3331 Multimedia Learning Station, 3, 44
 NCR 7054 release 2.0, 3, 53
 NCR 7870 scanner, 3, 55
 NCR WaveLAN system, 4, 15, 27–37
 industrial, scientific and medical (ISM) band, 4, 15
 spread-spectrum regulations, 4, 15
 Near-end crosstalk (NEXT) noise, 2, 47–48
 Near-field scanning optical microscopy, 6, 3
 Network Aspects of Broadband ISDN, 6, 29–38
 Network-based video games, 6, 4
 Network capability evolution, 6, 36–37
 Network evolution directions, Broadband Integrated Services Digital Network (BISDN), 6, 16
 frame relay, 6, 16
 Switched Multimegabit Data Service (SMDS), 6, 16
 Synchronous optical network/synchronous digital hierarchy (SONET/SDH) transport, 6, 16
 X.25 packet switching, 6, 16

Network layer protocol, ISDN, 2, 54–57
 country-specific differences, 2, 54–55
 supplementary services, 2, 55
 type of number field, 2, 55
 Network management and operations, administration, and maintenance (OA&M), 6, 33–34
 Network management architecture model, 6, 62–63
 standards-based network management (SBNM), 6, 62
 Network management systems (NMS), 6, 62–63
 Network managers, issues, 6, 59
 life-cycle costs, 6, 59
 performance, 6, 59
 Network performance and quality of service, 6, 35–36
 Network reference model, Broadband Integrated Services Digital Network (BISDN), 6, 29–30
 customer premises equipment, 6, 29–30
 equipment, 6, 29–30
 remote multiplexer, 6, 30
 Network reliability, 4, 7–10
 Network standards, national, 4, 41
 Network Systems Group (NSG), AT&T, 6, 76–81
 Network Systems Group (NSG) products, 6, 76–81
 advanced cell-relay technology, 6, 76–78
 GlobeView-2000 broadband system, 6, 76–78
 Network topologies, 5, 4–6
 Network verification testing (NVT), 5, 20
 Network widget, 3, 63
 Networking drivers and implications, 6, 57–59
 foreign postal telephone and telegraph (PTT), 6, 57–59
 network managers, 6, 57–59
 regional Bell operating companies (RBOCs), 6, 57–59
 U.S. interexchange carriers (IXCs), 6, 57–59
 Neural circuit dynamics, 2, 74
 New Directions in Transaction Terminal Interfaces, 3, 50–56
 New project startup using OOT, 5, 22–24
 PCS Service Management System (PSMS), 5, 22–24
 startup guidelines, 5, 22–23
 New York Telephone systems outages, 4, 4
 NEXT *See* Near-end crosstalk
 NICE Touch, 3, 52–55
 CAT project, 3, 52–53
 documentation, 3, 53
 integrated touch screen (ITS) work station, 3, 53
 NCR 7054 release 2.0, 3, 53
 pen input, 3, 54–55
 NICE Touch controls, 3, 53–55
 Microsoft Windows format, 3, 53
 pen input, 3, 54–55
 NICE Touch design guide, 3, 54
 NICE Touch icon library, 3, 54
 Nielsen Media Research, 1, 11
 Ninke, William H., 1, 2–6
 NMS *See* Network management system
 Noise reduction techniques, system level, 2, 36
 Nomenclator system, 2, 75
 Nonverbal actions, 3, 10
 Nonverbal information, 3, 9–12
 adding information not present in voice channel, 3, 10
 adding emphasis, 3, 10
 adding phrasing, 3, 10
 adding punctuation, 3, 10
 memory improvement, 3, 10
 nonverbal actions, 3, 9–12
 nonverbal messaging, 3, 9–12
 presence, 3, 10
 Nonverbal messages, role, 3, 10–12
 Nonverbal messaging, sources, 3, 10
 Nordin, Ronald A., 5, 37–49
 North American digital cellular standard (IS-54), 4, 14
 North American market, beyond, 2, 9–10
 North American product, 2, 7–9
 ac power standards, 2, 8–9
 American standards, 2, 8

- Canadian standards, 2, 8
- ETR station ports, 2, 7-9
- Partner 206 module, 2, 7-9
- Partner Plus, 2, 7-9
- Partner II, 2, 7-9
- Notified bodies (NBs) certification, 2, 28-29
- NTSC *See* National Television Systems Committee
- NTT's ClearBoard, 3, 18
- shared blackboard, 3, 18
- Numbering plan identification, 2, 57
- NVT *See* Network verification testing

O

- One-dimensional (1D) hidden Markov models (HMMs), 5, 61-63
- One-dimensional optical data link (1D-ODL)
 - performance, 5, 47-49
 - system design, 5, 38-40
- OA&M *See* Operations, administration, and maintenance
- Object-oriented requirements (OOR), 5, 20-22
- Object-oriented technology (OOT), 5, 14-24
 - advantages, 5, 14-24
 - application design and development, 5, 16-17
 - application performance, 5, 19
 - benefits, 5, 19-20
 - development approach, 5, 14-24
 - guidelines, 5, 16-19
 - methods, CADCS, 5, 16
 - methods, transition, 5, 15
 - new project startup, 5, 14-24
 - paradigm, 5, 14-24
 - requirements, 5, 14-24
 - resilience, 5, 19
 - software reuse, 5, 19
- OCR *See* Optical character recognition
- ODL *See* Optical data link
- Official Journal of the European Communities, 2, 27
- 100 Mb/s systems, 2, 46-49
 - reliable transmission of data, 2, 46-49
 - transmitting over copper, 2, 46-47
- Online documentation, 3, 67-74
 - advantages, 3, 67-68
 - electronic searches, 3, 69-70
 - history functions, 3, 69-71
 - hypertext links, 3, 69-71
 - standards, AT&T, 3, 73-74
 - systems, 3, 67-74
 - systems access features, 3, 69-71
 - systems, ease of use, 3, 68-69
- Online multiresource reservation system, 1, 12
- Online products, AT&T, 3, 73-74
- OOA *See* Object-oriented analysis
- OOD *See* Object-oriented design
- OOP *See* Object-oriented programming
- OOR *See* Object-oriented requirements
- OOT *See* Object-oriented technology
- Opaluch, Robert E., 3, 75-88
- Open Look, 3, 60
- Operating System for Distributed Switching (OSDS), 4, 45
- Operations, administration, and maintenance (OA&M), 5, 8, 6, 14, 33-34, 39-47
- Operations Systems (OS), 4, 4-10
 - administration, 4, 4-5
 - loop maintenance operation system, 4, 4-5
 - maintenance, 4, 4-5
 - management, 4, 4-5
 - network customization, 4, 5
 - telemetry networks, 4, 4-5
- Operations Systems (OS) management problems, 4, 5-10
- Optical character recognition (OCR), 5, 60-72
 - reading commercial OCR rejects, 5, 70-71

- reading degraded documents, 5, 62
- two-dimensional hidden Markov models (HMMs), 5, 60-61
- Optical data link (ODL) products, end-to-end, 5, 37
 - SESS switch, 5, 37
 - one-dimensional ODLs (1D-ODL), 5, 37
 - ODL40, 5, 37
 - ODL50, 5, 37
- Optical fibers, dispersion-shifted, 4, 2
- Optical interconnection 5, 37-48
- Optical interconnection network, 6, 54-55
- Optical modular arrays, advantages and disadvantages, 5, 41-42
- Optical receiver-transmitter board, 6, 54
- Optical switch (OS) board, 6, 54-55
- Optical switches, guided-wave, 6, 53
- Optical switching, 6, 48-56
- Optical switching technology, 6, 52-54
- Optical transmitter receiver design, 5, 44-48
- Optical transmitter source selections, 5, 41-48
- Optimizing communications, 2, 25
- OS *See* Operations Systems
- OSDS *See* Operating System for Distributed Switching
- Ourmazd, Abbas, 5, 50-59
- Overview scanner, 1, 15-21

P

- Pacific Bell, 1, 16, 20
- Pan-European Global Systems for Mobile Communications (GSM), 4, 39-40
- Parallel optical interconnection, 5, 37-49
- Partner key system, 2, 6-16
- Partner key system design goals, 2, 8-9
- Partner key system for the global market, 2, 9-10
 - customized development, 2, 9-10
 - product reuse, 2, 9
- Partnering, global market, 2, 2-4
- Pashan, Mark A., 6, 39-47
- Pattern recognition, 2, 74
- PBX *See* Private branch exchange
- PC *See* personal computer
- PC *See* Procerebral
- PCS *See* Personal Communication Services
- PCS Service Management System (PSMS), 5, 22-24
- PDS *See* Premises Distribution System
- Pen-based gestures, 3, 21-23
- Pen-based handwriting recognition, 3, 25-26
- Pen-based interfaces, 3, 21-27, 54-55
 - attributes, 3, 26-27
 - command-input device, 3, 54
 - display tablet, 3, 21
 - electronic ink, 3, 21-26, 54-55
 - pen-based gestures, 3, 21-23
 - pen-based handwriting recognition, 3, 25-27
 - pen input devices, 3, 21
 - pointing and selecting, 3, 21-22
 - touch screens, 3, 21-22
 - user acceptance, 3, 21-22
- Pen-based products, 3, 24-27
 - GO MiniNote application, 3, 24
 - NCR 3125 pen computer, 3, 26
- Pen-Based User Interfaces, 3, 21-27
- Pen input devices, 3, 21-27
- PERCEVAL, 3, 57
- Peripheral interface, 5, 9-10
- Permanent virtual circuit (PVC) asynchronous transfer mode (ATM) service, 6, 17
- Personal communications capabilities, 6, 2
- Personal Communications Network (PCN), 4, 11, 56
- Personal Communication Services (PCS), 5, 22
- Personal communication services, wireless, 4, 38-47
- Personal computers (PC), 2, 28

- Personal Handy Phone (PHP), 4, 15
- Personal video, 1, 33-40
- Personal Video System Model 70, AT&T/NCR, 3, 18
- PHMM *See* Planar hidden Markov model
- Phone-like units (PLUS), 5, 26
- Physical layer, 6, 30-31
- Physical layer protocol, ISDN, 2, 53-54
 - 1.544-Mb/s recommendations, 2, 53
 - 2.048-Mb/s recommendations, 2, 53
- PictureTel Corporation, 1, 36, 44, 3, 8
 - partnering with AT&T Group Video systems, 3, 7
- Pieraccini, Roberto, 5, 25-36
- Pilc, Randolph J., 1, 2-6
- Pitio, Walter M., 6, 48-56
- Pixels, 1, 28
 - chrominance, 1, 28
 - luminance, 1, 28
- Plain old telephone service *See* POTS
- Planar hidden Markov models (PHMMs), 5, 61, 68-72
- Plastic-quad flat pack (PQFP), 5, 46
- Platform requirements, 2, 10-16
 - concurrent platforms, 2, 15
 - hardware platforms, 2, 11-13
 - local standards, 2, 11
 - local tastes, 2, 11
- PLU *See* Phone-like unit
- Point-of-sale (POS)
 - tasks, 3, 51
 - terminal interface, 3, 51
 - terminals, 3, 50-56
- Point-to-point conference control, 1, 44-45
- Polarization diversity, 4, 30-31
 - measuring polarization density, 4, 30
 - network topology, 4, 31
 - Rayleigh fading, 4, 30, 35-36
 - spacial diversity, 4, 30-31
 - transmission block diagram, 4, 31
- Poly-phenylene vinylene (PPV), 5, 2
- POLYMIC package, 5, 47
- Polymers, electroluminescent, 5, 2
- POS *See* Point-of-sale
- Postfiltered adaptive differential pulse code modulation (ADPCM), 4, 68-69, 71
- PostScript language conversion program, 3, 65
- POTS (Plain old telephone service) processor, 1, 23
- Power and safety, 2, 71-73
 - global safety standards, 2, 71
 - input power, 2, 71
 - reliability, 2, 71
 - safety approval, 2, 71
 - transmission characteristics, 2, 71-73
- Power-fail operation, 1, 25
- Power line emission limits, 2, 26-27
- Power supply design, 2, 12-13
 - component spacing, 2, 12-13
 - dielectric breakdown, 2, 12-13
 - emission limits, power line, 2, 26
 - input voltages, 2, 12-13
 - thermal environments, 2, 12-13
- Power variations, large-scale, 4, 30
- PPV *See* Poly-phenylene vinylene
- PQFP, *See* Plastic-quad flat pack
- Prasanna, P.K., 6, 9-14
- Premises-based networking, 6, 57
- Premises Distribution System (PDS), Systimax, 2, 41-49
- PRI *See* Primary rate interface
- Prieve, Barton G., 6, 67-75
- Primary rate interface (PRI) deployment series, ISDN, 2, 52
- Primary rate interface (PRI) facility, 6, 18
- Principles and Standards for Broadband ISDN, 6, 9-14
- Printed wiring board (PWB), 2, 33, 35-37
 - dipole antenna, 2, 37
 - ground nulls, 2, 37
 - ground stitches, 2, 37
 - input/output (I/O) leads, 2, 37
 - slot antenna, 2, 37
- Privacy issues, 2, 22-23
 - automatic call distributor (ACD) agent monitoring, 2, 23
 - bridging, 2, 22-23
 - call intrusion, 2, 22-23
 - conferencing, 2, 22-23
 - station message detail recording (SMDR) reporting, 2, 22-23
- Private branch exchange (PBX), 2, 3-4, 17-24, 50-61
 - attendant usage, 2, 18-20
 - call-routing alternative, 2, 20-21
 - country-specific features, 2, 17-18
 - cultural factors, 2, 21
 - culture-related differences, 2, 17-24
 - customized features, 2, 17-24
 - design, 2, 17-24
 - development, 2, 17-24
 - dial-pulse (DP) telephones, 2, 21
 - equipment, 2, 17-24, 30-31
 - features, 2, 17-24
 - local language, 2, 22
 - marketplace, 2, 17-24
 - PBX tones, 2, 22
 - social factors, 2, 21
 - tones, 2, 22
- Private data networks, 6, 4-8, 61
- Procerebral (PC) lobe, 2, 74
- Process control, 4, 4-10
- Process control subsystem, 1, 12-13
- Product design process, 2, 3-4
 - national standards, 2, 3
 - technical standards, analysis, 2, 3
- Product development process, 2, 3
- Product globalization, 2, 2-4
- Product planning, 2, 3
 - global platform, 2, 3
 - local partners, 2, 3
- Product realization process, 2, 25-40
- Product requirements approval process, 2, 3
- Product reuse, global, 2, 6-16
 - existing products, 2, 6-7
 - field-trial evaluation checklist, 2, 9
 - interchangeable parts, 2, 6-7
 - international field-trial process, 2, 9
- Product standards, 2, 25-40
- Product validation, 2, 3-4
 - conformance assessment, 2, 4
 - system testing, 2, 4
 - type approval, 2, 4
- Products and services, usability engineering, 3, 75-88
- Programmable chip technology, 2, 64
 - external converters, 2, 64
 - general-purpose hardware, 2, 64
 - limited-world-class designs, 2, 64
 - local adapters and adjuncts, 2, 64
 - multipurpose hardware, 2, 64
 - replaceable components, 2, 64
 - special-purpose hardware, 2, 64
 - standard software interfaces, 2, 64
- Progressive bilevel image coding (JBIG), 1, 67-72
 - coding, 1, 69
 - relationship to existing standards, 1, 68-69
 - standards framework, 1, 67
- Progressive coding, 1, 69-72
- Progressive coding algorithm, 1, 67-72
- Project management support, 3, 75, 87-88
- Project management using OOT, 5, 15-16
 - best current practices (BCPs), 5, 15-16
 - design and development program, 5, 15-16
- Protocol reference model, 6, 30-31, 40
- Prototyping a user interface (UI), 3, 75, 80-82
 - easier-to-use tools, 3, 82

- features list, 3, 82
- penalties for not prototyping, 3, 82
- prototype libraries, 3, 82
- rapid prototyping methodology, 3, 81–82
- starting the process, 3, 82
- tools and methods, 3, 80–81
- user interface (UI) mock-up, 3, 82
- updating tools and platforms, 3, 82
- Pseudo two-dimensional hidden Markov models (HMMs)
 - applications, 5, 68–72
 - connected text recognition, 5, 66–68
 - one-dimensional (1D) HMMs, 5, 61
 - planar hidden Markov models (PHMMs), 5, 61
 - pseudo two-dimensional (2D) HMM network, 5, 61
 - reading commercial OCR rejects, 5, 70–71
 - recognition, 5, 65
 - transformation invariance, 5, 66
 - Viterbi algorithm, 5, 65
- Pseudo Two-Dimensional Hidden Markov Models for Document Recognition*, 5, 60–72
- PSMS *See* PCS Service Management System
- PSTN *See* Public switched telephone network
- PTN *See* Public telephone network
- Public switched telephone network (PSTN), 1, 22–31, 2, 26, 30–31, 5, 5–6
 - EMC directive, 2, 27–29
- Public telephone network (PTN), 2, 18–24, 62–73
 - address strings, 2, 20
 - country-specific standards, 2, 63
 - digit-string formats, 2, 20
 - numbering plans, 2, 20
 - operating modes, 2, 62
 - step-by-step (SxS) switching equipment, 2, 18
- Public telephone network (PTN), United Kingdom, 2, 62–63
 - loop start, disconnect clearing, 2, 62
 - loop start, guarded clearing, 2, 62
- Puri, Atul, 1, 67–89
- PVC *See* Permanent virtual circuit
- Px64 standard, 1, 36, 43–49, 51–62, 67

Q

- QCIF *See* Quarter common intermediate format
- QFD *See* Quality function deployment
- QGP *See* Quad gateway processor
- QLPS *See* Quad link packet switching
- QS *See* Quality system
- Quad gateway processor (QGP), 5, 6, 11–12
- Quad link packet switching (QLPS), 5, 6–7, 11–12
- Quad link packet switching (QLPS) board, 5, 11–12
- Quality assessment, 3, 7
 - behavioral techniques, 3, 7
 - compressed images, 3, 7
- Quality assurance
 - best current practices (BCPs), 5, 15–16
- Quality assurance, production, 2, 30–31, 38
 - quality measurement, 2, 38
 - quality metrics, 2, 38
- Quality emphasis, 6, 23
- Quality function deployment (QFD), 3, 77
- Quality metrics
 - image quality metrics, 3, 12–13
 - production, quality metrics, 2, 38
- Quality of decoded video, 1, 83
- Quality process standards, 2, 3
- Quality system (QS) conformity, 2, 31
- Quality systems, formal, 2, 38
- Quality, transmitted image, video telephony, 3, 7
- Quantum well structure, 4, 3
- Quarter common intermediate format (QCIF), 1, 36–37, 44, 79, 3, 12–13
 - H.261 CCITT standard, 3, 12–13

R

- Rabiner, Lawrence R., 5, 25–36
- Radiated effects from cabinet-enclosed circuitry, 2, 36–37
- Radio frequency (RF) immunity, 2, 31–32
 - continuous wave (CW), 2, 32
 - electrical fast transient (EFT), 2, 32
 - electromagnetic interference (EMI), 2, 31–32
 - electrostatic discharge (ESD), 2, 32
 - equipment reliability, 2, 31–32
 - pulsed EMI, 2, 32
 - quality awareness, 2, 31–32
 - surge, 2, 32
- Radio homodyne front-end, 4, 34–36
 - direct conversion radio design, 4, 34–35
 - diversity, 4, 35
- Radio transmission channel problems, 4, 64–65
 - deep fade, 4, 64
 - fade, 4, 64
 - interference, 4, 64
 - range, 4, 64
- RAM *See* Random-access memory
- Random-access memories (RAMs), 5, 9–10
- Random-access memory, dynamic 1, 50–66
- Rapid prototyping, 3, 60–61, 80–82
- Rapport multimedia conferencing system, 3, 44–46
- Rare-earth-doped fiber lasers, 3, 3
- Rayleigh fading signals, 4, 21, 30, 35–36, 51–52
- RBOCS *See* Regional Bell Operating Companies
- Reaping Benefits With Object-Oriented Technology*, 5, 14–24
- Record-setting magnetic fields, 3, 2
 - copper-niobium composite wire, 3, 2
 - multi-turn solenoid magnet, 3, 2
 - pulsed fields, 3, 2
- Reduced development cycle, 5, 19
- Reduced instruction set computer (RISC), 1, 23
- Regional Bell Operating Companies (RBOCs), 4, 4
- Rembrandt II/06 video codec, 1, 16–17
- Residential applications for asynchronous transfer mode (ATM) services, 6, 27
- Residential-market evolution, broadband ATM-based services, 6, 26–27
- Resonant cavity light-emitting diodes (LEDs), 5, 41
- Reustle, Stephen M., 6, 57–66
- RF *See* Radio frequency
- RISC *See* Reduced instruction set computer
- Roberts, LaJean N., 4, 19–26
- Robust Speech Coding for the Indoor Wireless Channel*, 4, 64–73
- Robust speech coding for wireless environments, 4, 15
- Rubini, David M., 3, 50–56

S

- SA *See* Speaker adaptation
- SAC *See* Send-all-calls
- SAD *See* Speech activity detection
- Sangermano, John J., 2, 62–73
- SAW *See* Surface acoustic wave
- SBNM *See* Standards-based network management
- Scalable coherent interface (SCI), 5, 37–38
 - IEEE 1596-1992 standard, 5, 1–380
- Scanning optical microscopy, near-field, 6, 3
- Scanware software, 1, 15–21
- Scuteri, Eugene, Jr., 1, 50–66
- SDH *See* Synchronous digital hierarchy
- SDH/SONET *See* Synchronous digital hierarchy/synchronous optical network
- SDN *See* Software-defined network
- Security, wireless, 4, 28
 - National Bureau of Standards—Data Encryption Standard identification (NBS-DES), 4, 28
 - network identification (NWID), 4, 28
 - spread-spectrum modulation, 4, 28

- SEI *See* Software Engineering Institute
- Self-focusing laser structures, 5, 3
- Self-view and privacy, 3, 16-17
- Self-view mode, 3, 16-17
- Semiconductor manufacturing, 5, 73-83
 - improvements, 5, 73
 - transfer-molding process, 5, 73-74
- Semiconductor packaging, 5, 73
- Send-all-calls (SAC) button, 2, 21
- Sentence-level language matching, 5, 30-31
- Service circuits, 5, 10-11
 - digital service-circuit pack, 5, 10
 - digital signal processing (DSP), 5, 10-11
 - global service-circuit pack, 5, 10
 - local service-circuit pack, 5, 10
 - service-circuit hardware, 5, 11
 - signal-monitoring functions, 5, 11
- Service Net-2000, AT&T, 5, 5-6
 - multimedia calls, 5, 5-6
 - on-demand local-area network (LAN) interconnect, 5, 5-6
 - switched services up to E1/T1, 5, 5-6
 - switched-wideband services, 5, 5-6
 - trunk network, 5, 5-6
 - video conferencing, 5, 5-6
- Service Net-2000, AT&T Network Systems, 6, 20-21
- Service Net-2000 asynchronous transfer mode (ATM) architecture, 6, 20-21
 - AAN-2000 switch, 6, 21
 - ATM cross-connect system, 6, 21
 - AXC-2000 system, 6, 21
 - BNS-2000 cell switch, 6, 21
 - BSS-2000 broadband switching system, 6, 21
 - SESS-2000 switch, 6, 21
 - GCNS-2000 ATM switch, 6, 21
- Service Net-2000 asynchronous transfer mode (ATM) products, 6, 20-21
- Service provider applications, 5, 12
- Service-specific connection-oriented protocol (SSCOP), 6, 13
- Services architecture, 1, 47
- Serving Customers With Automatic Speech Recognition -- Human-Factors Issues*, 3, 28-41
- Seshadri, Nambi, 4, 48-63
- Shanks, Wesley L., 4, 19-26
- Shober, R. Anthony, 4, 11-18
- Shugard, Donald D., 6, 48-56
- Signal-to-noise ratio (SNR), 4, 35-36
- Signaling and control for the transmission system, 1, 39-40
- Signaling processing techniques, 4, 48-63
 - channel coding, 4, 48, 54-56
 - channel equalization, 4, 48, 53-54
 - channel model, 4, 48-49
 - combining techniques, 4, 48
 - digital modulation schemes, 4, 48-51
 - digital wireless system standards, 4, 48
 - diversity principles, 4, 48, 51
 - duplexing techniques, 4, 48, 53
 - future techniques, 4, 48, 57-61
 - multiple-access techniques, 4, 48
- Signaling System 7 (SS7), 1, 39, 5, 7, 6, 13-14
- Signaling System 7 (SS7) service, 4, 38, 42
- Silicon devices, 1, 65-66
- Silicon die, 5, 56-57
 - AT&T DSP-16 digital signal processor, 5, 56
 - cost of chip versus die size, 5, 56
 - interconnection of two nodes, 5, 56
 - large wafer with low-defect densities, 5, 56
- Silicon integrated circuits, giga-scale, 5, 50-59
 - die size, 5, 56-57
 - notepad computers, 5, 50
 - trends, 5, 51-52, 57-58
 - wire size, 5, 54-56
- Silicon Optical Bench, 4, 10
- Silicon submount design, 5, 46-47
 - alignment methodology, 5, 46
 - plastic-quad flat pack (PQFP), 5, 46
 - solder reflow process, 5, 47
- Silicon technology, 5, 50-59
 - competitive advantages, 5, 51
 - giga-scale integration, 5, 50
- Silicon technology market-driven trends, 5, 56-58
 - AT&T DSP-16 digital signal processor, 5, 56
 - cost savings, 5, 57
 - power consumption of CMOS circuits, 5, 56
- Silicon technology trends and limits, 5, 51-57
- Silverio, Vincent J., 2, 6-16
- Simultask, 1, 19
- Skran, Dale L., 1, 41-49
- Slugs, garden, 2, 74
- SM *See* Switching module
- SM-2000
 - architecture, 5, 6-7
 - components, 5, 7-12
 - hardware, 5, 4-13
 - protocols, 5, 6
 - software, 5, 7
 - switching module, 5, 7
- Small teams, 5, 15
- SMDR *See* Station message detail recording
- SMDS *See* Switched Multimegabit Data Service
- Smilan, Ruth E., 5, 14-24
- Smith, Douglas C., 2, 25-40
- Smith, Jean G., 5, 14-24
- Smith, Thomas L., 6, 48-56
- SMP *See* Switching module processor
- Snow, Donald F., 1, 7-14
- Snowdon, Arthur R., 1, 15-21
- SNR *See* Signal-to-noise ratio
- Software-defined network (SDN), AT&T, 6, 61
- Software Engineering Institute (SEI), 4, 9
- Software factor in os management, 4, 9
 - client/server systems, 4, 9
 - daemon monitor, 4, 9
 - fault-tolerant software library, 4, 9
 - robust software development, 4, 9
- Software, fault-tolerant, 4, 2
- Software platform, 2, 13-16
 - call restriction, 2, 13-14
 - compilable options, 2, 15
 - country-specific development, 2, 13
 - feature set enhancement, 2, 13
 - flexibility, 2, 13
 - make-to-break ratio, 2, 14-15
 - programmable lists, 2, 14-15
- Software, world-class, 2, 17
- Solders, lead-free, 3, 2
- Soneru, Marius D., 6, 29-38, 39-47
- SONET *See* Synchronous optical network
- Sony Corporation, 1, 25
- Speaker adaptation (SA), 5, 33
- Speaker verification (SV), 3, 31
- Speech activity detection (SAD), 4, 56
- Speech coding, indoor wireless, 4, 64-73
- Speech coding techniques, 4, 48-49
- Speech coding technology, 4, 15
- Speech compression, 1, 27
- Speech patterns, influence of ASR, 3, 35
 - motherese, 3, 35
- Speech recognition, 5, 25-36
 - large-vocabulary speech recognition, 5, 25-36
 - spoken-language-processing systems, 5, 25-36
- Speech recognition system, baseline, 5, 27-31
- Speech recognition (SR) technology, 3, 55-56
- Spontaneous communication, 3, 16
- Spread-spectrum demodulation, 4, 33-35
- Spread-spectrum modulation, 4, 28-35
 - bandwidth spreading, 4, 29
 - direct-sequence spread-spectrum modulation, 4, 29
 - distance model, 4, 35-36

- FCC Part 15 rules and regulations, 4, 29
 - ISM band, 4, 28–29
 - outage model, 4, 35–36
 - Spread-spectrum radio technology, 4, 19, 22
 - Spread-spectrum systems, 4, 22–25, 53
 - SS7 *See* Signaling System 7
 - SSCOP *See* Service-specific connection-oriented protocol
 - Standards-Based Multimedia Conferencing Bridge*, 1, 41–49
 - Standards-based network management (SBNM), 6, 62
 - Standards, international wireless, 4, 39–40
 - Standards, ISDN design for global markets, 2, 50–61
 - Standards, video conferencing, 1, 41–49
 - Station message detail recording (SMDR) reporting, 2, 22–23
 - Statistical pattern recognition approach for LVR systems, 5, 25–27
 - acoustic mismatch problems, 5, 26–27
 - duration, 5, 26
 - fundamental subword units, 5, 26
 - phone-like units (PLUs), 5, 26
 - phonemes, 5, 26
 - prosody, 5, 26
 - Stefanik, Michael J., 6, 4–8, 76–82
 - Stiling, Paul A., 5, 4–13
 - STM *See* Synchronous transfer mode
 - Stress analysis of multichip modules, 5, 77–79
 - ANSYS computer simulation, 5, 77–78
 - maximum shear-stress calculations of the package, 5, 78–79
 - Structured Cabling Systems for the Global Premises Distribution Market*, 2, 41–49
 - Structured interconnections, 2, 41–42
 - copper cables, 2, 41–42
 - fiber-distributed data interface (FDDI), 2, 41, 46
 - Stuntebeck, Peter H., 6, 76–82
 - Subjective performance of alternative speech coders, 4, 70–72
 - Subword-based ASR
 - phonemes, 3, 34
 - syllables, 3, 34
 - Subword-Based Large-Vocabulary Speech Recognition*, 5, 25–36
 - Sundberg, Carl-Erik W., 4, 48–63
 - Supporting speech technologies, 3, 31
 - Surface acoustic wave (SAW) devices, 4, 34
 - SV *See* Speaker verification
 - Swenson, John, 6, 9–14
 - SVC *See* Switched virtual circuit
 - Switched DSL, 6, 69–70
 - Switched Multimegabit Data Service (SMDS), 6, 16, 25, 32, 70
 - Switched Multimegabit Data Service (SMDS) and frame relay, 6, 16, 70
 - Switched virtual circuit (SVC) asynchronous transfer mode (ATM) service, 6, 17
 - Switches, guided-wave optical, 6, 53
 - Switching, broadband, 6, 39–47
 - Switching evolution, 5, 4–6
 - Switching fabrics, asynchronous transfer mode (ATM), 5, 7
 - Switching, SESS wireless mobile, 4, 38–47
 - Switching module (SM), 5, 5–6
 - Switching module processor (SMP), 5, 7, 10–12
 - Switching module-2000, SESS-2000, 5, 4–13
 - Switching, optical, 6, 48–56
 - Synchronous digital hierarchy (SDH), 6, 5, 12–13, 17
 - Synchronous digital hierarchy (SDH) standards, 5, 6
 - Synchronous digital hierarchy (SDH) transmission rates, 6, 5, 12–13
 - STM-1 (155 Mbit/s), 6, 12
 - STM-4 (622 Mbit/s), 6, 12
 - STM-16 (2.4 Gbit/s), 6, 12
 - Synchronous digital hierarchy/synchronous optical network (SDH/SONET) transmission, 5, 4–13
 - Synchronous high-performance system specifications, advanced, 5, 40
 - Synchronous optical network (SONET), 6, 5, 12–13
 - Synchronous optical network (SONET) standards, 5, 6, 6, 9–14
 - Synchronous optical network (SONET) transmission rates, 6, 12–13
 - STS-1 (53 Mbit/s), 6, 12
 - STS-3-C (155 Mbit/s), 6, 12
 - STS-12C (622 Mbit/s), 6, 12
 - STS-48C (2.4 Gbit/s), 6, 12
 - Synchronous optical network/synchronous digital hierarchy (SONET/SDH) transport, 6, 16
 - Synchronous transfer mode (STM), 6, 9, 12–13, 39–40, 49
 - Synthetic diamond film, 1, 91
 - System Design Perspective on Optical Interconnection Technology*, A, 5, 37–49
 - System-level noise reduction techniques, 2, 36
 - System testing, 2, 4
 - Systems controller, 1, 63–65
 - Systimax Premises Distribution System (PDS), 2, 41–49
 - international standards, 2, 42–46
 - structured interconnections, 2, 41–42
- ## T
- T1 multiplexers, 6, 59–60
 - T1 trunk, 3, 12
 - TIS1 committee, 6, 10
 - Tables of contents, access procedures, 3, 69–70
 - AT&T Information Delivery System (IDS) for Microsoft Windows, 3, 69–70
 - AT&T Information Delivery System (IDS) for MS-DOS, 3, 69–70
 - G3MA online guide, 3, 69–70
 - Guide to frame relay, 3, 69–70
 - Take One service, 1, 6, 10–11
 - Tantillo, Lisa A., 4, 19–26
 - Task analysis procedures, 3, 79–80
 - Task-dependent (TD) training, 5, 30
 - Task-independent (TI) training, 5, 30
 - TCF *See* Technical construction file
 - TD *See* Task dependent
 - TDM *See* Time-division multiplexing
 - TDMA *See* Time-division multiple access
 - Team-member input, 3, 75, 78–79
 - Teams, small, 5, 15
 - Technical construction file (TCF), 2, 28–29
 - Technical environment differences, 2, 3, 18–24
 - Technical standards, analysis, 2, 3
 - Technologies for Broadband Switching*, 6, 39–47
 - Technology and radio architecture, 4, 31–36
 - correlation of (SAW) or VLSI, 4, 34
 - differential quadrature phase-shift-keying (DQPSK), 4, 32–34
 - modulation/demodulation, 4, 31–32
 - simulation and measurement, 4, 35–36
 - Technology-driven changes, 6, 24
 - Technology of Molded Multichip Modules, The*, 5, 73–83
 - Technology Platform for Providing Broadband Communications Services*, A, 6, 48–56
 - Tele-Communications, Inc. (TCI), 1, 7–14
 - Telecom Terminal Equipment (TTE) Directive, 2, 27–31
 - Common technical regulations (CTRs), 2, 30–31
 - Competent bodies (CBs) certification, 2, 28–29
 - Notified bodies (NBs) certification, 2, 28–29
 - private branch exchange (PBX) equipment, 2, 30–31
 - public switched telephone network (PSTN), 2, 30–31
 - telephone equipment, 2, 30
 - Telecommunication cabling systems, 2, 30–31, 44
 - Telecommunication infrastructure, 6, 15–21
 - Telecommunication network traffic, 6, 23–25
 - broadband traffic, 6, 23
 - data traffic, 6, 23
 - high-bandwidth traffic, 6, 23
 - image traffic, 6, 23
 - video traffic, 6, 23
 - voice traffic, 6, 23
 - Telecommunication networks, private, 6, 4–8
 - Telecommunication platform, 5, 6–7
 - bandwidth, 5, 6
 - intelligent network (IN), 5, 7
 - switch processors, 5, 7
 - Telecommunications Industry Association (TIA), 2, 42–46, 4, 19, 39

- EIA/TIA-568 standards, 2, 42-46
- Interim Standard (IS-54) TDMA standard, 4, 19, 21-22, 48-49, 55
- Telecommunications lasers, 4, 3
- Telecommunications management network (TMN) standards, 6, 77
- Telecommunications services, 4, 4-10
- Telecommunications services, interactive, 3, 28-41
- Teleconferencing, 3, 7-20
- Telemetry networks, 4, 4-5
- Telephone keypads, 2, 20
- Telephone networks, 1, 26-27
- Telephone-set hardware, 2, 7, 13
- Telephone terminal, 1, 22-31
- Telephone user interface, 3, 5
- Television, commercial, 3, 7-9
- 10 BASE-T standard, 2, 42, 46
- Ten Ways to Improve Usability Engineering -- Designing User Interfaces for Ease of Use*, 3, 75-88
- Tenant services, 2, 23
- Testing global products, 2, 4
- Text translator, 2, 75
- Text-to-speech (TTS) synthesis, 3, 31
- Thermal imager, real-time, 1, 90-91
- Thienylene analog of poly-phenylene (PPV), synthesis, 5, 2
- Thompson, Robin J., 4, 38-47
- TI See Task-independent
- TIA See Telecommunications Industry Association
- Tie trunk design, world-class, 2, 69-70
- Time-division multiple access (TDMA), 4, 13, 15, 19-26, 52, 64
 - Interim Standard (IS-54) TDMA standard, 4, 19
- Time-division multiple access (TDMA) cellular system, 4, 20-22
 - air interface, 4, 21-22
 - analog Advanced Mobile Phone Service (AMPS), 4, 20
 - digital bit stream, 4, 20
 - digital modulation, 4, 20
 - mobile-assisted handoff, 4, 20-21
 - speech coder, 4, 21-22
 - TDMA system performance, 4, 22
 - voice traffic capacity, increased, 4, 20
- Time-division multiplexing, asynchronous, 4, 6
- Time-division multiplexing (TDM) technology, 6, 59-60
- Time-multiplexed switch (TMS), 5, 11
- Time-slot interchange (TSI) unit, 5, 7-9
- Timer, world-class, 2, 18
- TMN See Telecommunications management network
- TMS See Time-multiplexed switch
- Token bus, 4, 27-28
- Token ring, 2, 26
- Tone plant design, 2, 70-71
- Tone set generation, world-class, 2, 22
- Touch input design, 3, 52-54
- Toward Giga-Scale Silicon Integrated Circuits*, 5, 50-59
- Transaction terminal design, 3, 51-56
- Transaction terminals, 3, 50-56
 - graphics, 3, 50
 - human/machine interaction, 3, 50
 - NCR 7870 scanner, 3, 55
 - new technologies, 3, 52
 - pen computing, 3, 50
 - point-of-sale (POS) terminals, 3, 50
 - processing, 3, 50-51
 - scanners, 3, 55
 - system requirements, future, 3, 56
 - touch input, 3, 52
 - touch screens, 3, 50
 - user assistants, 3, 56
 - video, 3, 50
- Transfer-molding process, AT&T, 5, 73-74
- Transfer molding technology, 5, 79-74
- Transistor size, 5, 52-54
 - CMOS devices and circuits, 5, 52-54
 - electromigration, 5, 54
 - limits on circuit speed, 5, 54
 - MOS devices and circuits, 5, 53-54
 - MOSFETs devices and circuits, 5, 53-54
 - process capability indices, 5, 53-54
- Transmission channel model, 4, 65-73
 - adaptive differential pulse code modulation (ADPCM), 4, 67-73
 - adaptive sub-band coder, 4, 69-71
 - coders, 4, 66-67
 - interleaved (ADPCM) with adaptive interpolation, 4, 68-69, 71
 - Markov model, 4, 65-66, 70-72
 - postfiltered (ADPCM), 4, 68-69, 71
- Transmission characteristics, 2, 71-73
 - balance impedance, 2, 72
 - country-specific port hardware, 2, 72
 - digital signal processing (DSP) technology, 2, 73
 - encoding law, 2, 71-72
 - flexible port design, 2, 72
 - input and output analog gains, 2, 71-72
 - integrated circuits (IC), 2, 72
 - programmable transmission parameters, 2, 72
 - transhybrid loss function, 2, 72
 - two-wire port-input impedance, 2, 71-72
- Transmission considerations, 2, 47-48
 - attenuation, 2, 47-48
 - near-end crosstalk (NEXT) noise, 2, 47-48
- TRANSVU II, 3, 57
- Trojniar, Kenneth J., 1, 15-21
- Trunk interfaces, 2, 66-73
 - central office trunks, 2, 67-68
 - DID trunks, 2, 68-69
 - digital trunks, 2, 69
 - network trunk interfaces, 2, 66-67
 - power and safety, 2, 71
 - PSTN call progress tones, 2, 70-71
 - register signaling, 2, 70
 - tone plant design, 2, 70
 - transmission characteristics, 2, 71
 - trunk flexibility, 2, 66-67
 - world-class tie trunk design, 2, 69-70
- Tsao, Yao-Chung, 3, 75-88
- TSI See Time-slot interchange
- TTC See Telecommunications Technology Committee
- TTS See Text to speech
- Tuch, Bruce, 4, 27-37
- Twisted pair-physical media dependent (TP-PMD) copper cables, 2, 46-49
 - electromagnetic compatibility, 2, 46-47
 - high-quality transmission of data, 2, 46-47
 - near-end crosstalk (NEXT) noise, 2, 47-48
 - transmission considerations, 2, 47-48
- Two-dimensional hidden Markov models (2D-HMMs), 5, 60-61
- Type approval, 2, 4, 62-63
 - compilable options, 2, 15
 - country-specific approval, 2, 4
 - local partnering, 2, 4
- Type approval requirements, 2, 6-7, 10-11, 13, 15, 62-63
 - compatibility, 2, 7
 - mandatory standards, 2, 7
 - standards library, 2, 7
- Type of number field, 2, 55, 57
 - North American numbering plan format, 2, 55

U

- UI See User interface
- Unbalanced transfer molding systems, 5, 80-81
- Underwriters' Laboratories, 2, 8
- Universal port sides, 6, 49-50
- UNIX-based processors, 6, 46
- UNIX Operating System, 1, 12-13, 19, 2, 74-75, 6, 77
- UNIX Real Time Reliable (RTR), 4, 45
- Unshielded twisted pair (UTP)
 - copper cables, 2, 41-49
 - copper wiring transmission, 6, 13, 48-49

U.S. State Department Study Group B, 6, 11
 U S WEST, 1, 7-14
 U S WEST COMPASS trial projects, 6, 67-75
 Usability, designing, 3, 5-6, 84
 Usability engineering, products and services, 3, 75-88
 Usability factors, 3, 77
 Usability testing, 3, 77
 Usability testing, conducting, 3, 75, 85-87
 User assistants, 3, 56
 User-friendly computer file protector, 2, 74-75
 User interface (UI) to automatic speech recognition (ASR)
 applications, 3, 35-38
 design issues, 3, 35-38
 User interfaces
 artificial intelligence, 3, 4-5
 character recognition interface, 3, 4-5
 customer satisfaction, 3, 75
 design characteristics, 3, 28-29
 design information, 3, 78-79
 design, iterative review, 3, 75, 84-85
 design limitations, 3, 28-29
 designer, 3, 75, 77-78
 documentation, 3, 6, 67-74
 ease of use, 3, 75
 expert systems, 3, 4-5
 graphical interfaces, 3, 6, 57-66
 high-resolution graphics, 3, 4-5
 hypertext, 3, 4-5
 multimedia displays, 3, 4-5
 multimedia systems, 3, 5-6, 42-49
 natural language understanding, 3, 4-5, 35-36
 NCR transaction terminals, 3, 5-6, 50-56
 object-oriented interfaces, 3, 4-5
 pen and touch techniques, 3, 4-6, 21-27
 principles, 3, 75-88
 prototyping, 3, 80-82
 rules and procedures, 3, 5-6, 75-88
 speech recognition, 3, 5-6, 28-41
 speech recognition interface, 3, 4-5
 standards and style guides, 3, 75, 82-84
 telephone, 3, 5
 text-to-speech conversion, 3, 4-5
 transaction terminals, design, 3, 50-56
 video displays, 3, 4-5
 videotelephony, 3, 5-6, 7-20
 window systems interface, 3, 4-5
Using Technology to Achieve Ease of Use, 3, 4-6
 UTP *See* Unshielded twisted pair

V

VCC *See* Virtual circuit connection
 VCTV: *A Video-On-Demand Market Test*, 1, 7-14
 VCTV (viewer-controlled cable television)
 data storage, 1, 9
 premises-based equipment, 1, 13
 services, 1, 10-14
 system architecture, 1, 12-14
 trial, 1, 10-14
 Vertical-cavity geometry, 5, 3
 Very-large-scale-integrated circuits (VLSI), 1, 52
 Very-large-scale-integrated circuit (VLSI) technology, 4, 34-36, 6, 40
 VHS *See* Video Home System
 Video architecture, 1, 2-6
 Video bridging, 1, 42
 Video buttons, 1, 29
 Video call setup, 3, 15
 Video codec
 analog video input interface, 1, 4-6, 25
 analog video output interface, 1, 4-6, 25
 audio processor, 1, 4-6, 23-24
 chip set, multimedia, 1, 50-66
 coder-decoder, 1, 4-6, 23-24
 data interface, 1, 4-6, 25
 host command, 1, 4-6, 25
Video-Codec Chip Set for Multimedia Applications, A, 1, 50-66
 Video codec chip set, multimedia, 1, 50-66
 Video coding standards (Px64 standards), 3, 8
 Video communication, 1, 2-6
 analog signals, 1, 2-4
 digital bit streams, 1, 2-4
Video Communications Decade, The, 1, 2-6
 Video compression, 1, 8, 27-29, 50-66, 3, 7-20
 chrominance, 1, 56
 color separation, 1, 27
 decoder techniques, 1, 58
 differential pulse-coded modulation (DPCM), 1, 44
 digital pulse-coded modulation (DPCM), 1, 28
 discrete cosine transform (DCT), 1, 28, 44, 56, 67
 encoder techniques, 1, 58
 entropy coding, 1, 57
 frame differencing, 1, 56
 hierarchical Huffman coding, 1, 58
 interpolation, 1, 57
 motion compensation, 1, 56-57
 pixels, chrominance, 1, 28
 pixels, luminance, 1, 28
 reference memory, 1, 29
 RS-170A standard, 1, 27-30
 silicon devices, 1, 65-66
 standards, 1, 82-89
 systems controller, 1, 63-65
 techniques, 3, 7-20
 technology and ISDN, 1, 33-40, 41-49
 timing format, 1, 27
 transform coding, 1, 56
 video bandwidth, 1, 28-29
 Video entertainment, 1, 2-6
 Video games, network-based, 6, 4
 Video Home System (VHS) quality, 1, 8
 Video image quality, 3, 12-13
 Video messaging, 1, 5
 Video modes, control, 3, 16
 Video modes, privacy, 3, 16
 Video on demand, 3, 19, 6, 4, 27
 Video Source System (VSS), 1, 12-13
 Video technology, personal uses, 1, 34-35
 Video teleconferencing, 1, 34-35
 Video telephone elements, 3, 8-9
Video Telephony, 3, 7-20
 Video telephony, 1, 2, 4, 33-40, 67-89, 3, 7-20, 24-25
 auxiliary video input, 3, 7
 design, 3, 13-15
 display screen, 3, 7
 future, 3, 19
 history, 3, 7-9
 multimedia computing, 3, 7
 multipoint call, 3, 19
 revolution, 3, 7-20
 shared blackboard, 3, 7, 18, 24-25
 teleconferencing, 3, 7
 transmission of hard-copy graphics, 3, 7
 transmission of stored and live electronic graphics, 3, 7
 usability, 3, 15-20
 Video, variable-bit-rate, 1, 90
 Videoconferencing, 5, 37
 Videoconferencing standards, 1, 41-49, 67-89
 Videophone, executive desk-top, 6, 67-69
 VideoPhone 2500, AT&T, 1, 22-31, 33-40, 3, 7-20
VideoPhone 2500—Video Telephony on the Public Switched Telephone Network, The, 1, 22-32
 VideoTelcom, 1, 44
 Viewer-Controlled Cable Television *See* VCTV
 VIP *See* Voice-interactive phone service

Virtual circuit connection (VCC), 6, 13
 Virtual containers (VCS), 5, 6
 Virtual Meeting Service (VMS), 6, 80-81
 Virtual path connections (VPCS), 6, 13, 80-81
 Virtual tributaries (VTS), 5, 6
 Visual and Multimedia Communication Services, 6, 4
 Visual communication systems, 3, 7-20
 Viterbi algorithm, 4, 54, 61, 5, 65
 Viterbi encoding, 1, 26
 VLSI *See* Very-large-scale-integrated circuit
 VMS *See* Virtual Meeting Service
 Voice-controlled programming, 3, 32-33
 Voice-interactive phone service (VIP), 3, 31-32, 40
 Voice-band channels, 5, 2
 Voice mail systems, 2, 19
 vpc *See* Virtual path connection
 vss *See* Video Source System

W

Wall Street Journal (WSJ) dictation task, 5, 25
 Warwick, Colin A., 5, 50-59
 Watson, James R., 1, 7-14
 Wattenbarger, Blake L., 3, 28-41
 WaveLAN modulation simulation, 4, 35-36
 WaveLAN wireless LAN, 4, 27-37
 WCC *See* World-class core
 Weerackody, Vijitha, 4, 48-63
 WGSN *See* Wireless global switching module
 Widget tree, 3, 64-65
 Wilson, Randall J., 4, 38-47
 Windows 3.0, 1, 19
 Wire size, 5, 54-56
 Wireless digital coder selection criteria, 4, 72-73
 Wireless digital communications reliability, 4, 48-63
 Wireless, international standards, 4, 39-40
 Wireless local-area network (LAN), WaveLAN, 4, 27-37
 Wireless local-area networks (LANS), 4, 11, 15, 27-37
 Wireless local-area networks (LANS) requirements, 4, 27-28
 Wireless mobile switching, SESS, 4, 38-47
 Wireless mobile switching center (MSC) goals, 4, 39-41
 Wireless network overview, 4, 38-39
 cell site complex, 4, 38-40
 SESS mobile switching center (MSC), 4, 39-41
 intelligent network nodes, 4, 39
 Wireless service zones, 4, 16-17
 global/national service zone, 4, 16
 indoor/pico service zone, 4, 16-17
 local/micro service zone, 4, 16-17
 mobile service zone, 4, 16
 Wireless services, 4, 41
 gateway service, 4, 41
 Integrated Services Digital Network (ISDN), 4, 41
 local/toll service, 4, 41
 operator service, 4, 41
 Wireless signal-processing technologies, 4, 13-15
 Wireless speech coding, 4, 64-73
 Wireless switching challenges, 4, 41
Wireless Systems and Technologies: An Overview, 4, 11-18
 Wireless telecommunication technology, future, 4, 11-18
 Word-level acoustic matching, 5, 28-30
 adaptive training, 5, 30
 base pronunciation, 5, 29
 context dependent (CD), 5, 28-29
 context-independent phone-like units (CI-PLUs), 5, 28
 hidden Markov model (HMM), 5, 29
 input speech signal, 5, 29
 lexicon, 5, 28
 observation density, 5, 29
 subword models, 5, 28-29
 task-dependent (TD) training, 5, 30

task-independent (TI) training, 5, 30
 training subword models, 5, 30
 World-class core (WCC) feature set, 2, 20-21
 World-class design philosophy, 2, 3-4, 17
 World-class hardware, 2, 17
 World-class hardware design, 2, 65-73
World-Class Hardware and Transmission Design, 2, 62-73
 World-class multinational call routing (MNCR) algorithm, 2, 20-21
 World-class software, 2, 17
 World-class tie trunk design, 2, 69-70
 World-class timer, 2, 18
 World-class tone set generation, 2, 22
 Worldwide Intelligent Network, AT&T's, 3, 57
 WSM *See* Wireless switching module

X

X Toolkit (Xt) widget-based applications, 3, 61-63
 X Window System interface, 3, 60
 X.25 packet switching, 6, 16
 xtent application builder tool, 3, 64-65
 xtent specification language, 3, 61-64

Y

Yan, Ran-Hong, 5, 50-59

Z

Zimmerman, Michael A., 5, 73-83
 Zone lasers, structure, 5, 3

